



DUNMORE LAKES SAND PROJECT – STAGE 5 MODIFICATIONS DUNMORE, NSW

Aboriginal Cultural Heritage Assessment Report

Prepared for Element Environment Pty Ltd on behalf of Dunmore Sand and Soil Pty Ltd

Shellharbour Local Government Area

February 2019

Ref. 1745

KELLEHER NIGHTINGALE CONSULTING PTY LTD Archaeological and Heritage Management ACN 120 187 671

> Level 10, 25 Bligh Street SYDNEY NSW 2000

Document Information

Project Name	Dunmore Lakes Sand Project – Stage 5 Modifications, Dunmore, NSW: Aboriginal Cultural Heritage Assessment Report
Project Number	1745
Version	Final v1
Client Name	Element Environment Pty Ltd for Dunmore Sand and Soil Pty Ltd
Recipient	Luke Farrell (Element Environment)
Issue Date	February 2019
Prepared by	Dr Matthew Kelleher, Ana Jakovljevic, Ben Anderson
Approved by	Dr Matthew Kelleher



Executive Summary

Dunmore Sand and Soil Pty Ltd (DSS) is seeking approval for a modification to their existing development consent (DA 195-8-2004) for Stages 2 to 4 of the Dunmore Lakes Sand Project at Dunmore on the NSW South Coast. The proposed modification is for a new extraction stage (Stage 5) on adjoining land and would be a S75W modification to the existing consent. The proposed pit expansion is required to enable the continuation of the current sand extraction operations.

Kelleher Nightingale Consulting Pty Ltd (KNC) was engaged by Element Environment Pty Ltd on behalf of Boral Resources (NSW) Pty Ltd (Boral) as the owner of DSS to prepare an Aboriginal Cultural Heritage Assessment Report (CHAR) to inform the environmental assessment (EA) for the expansion project. The CHAR assessment process has included detailed Aboriginal cultural heritage assessment comprising Aboriginal community consultation and archaeological investigations, including a test excavation program.

The assessment was carried out in accordance with the Office of Environment and Heritage (OEH) requirements and guidelines for Aboriginal community consultation and archaeological assessment including the *Code of Practice for Archaeological Investigation of Aboriginal Objects in NSW; Guide to investigating, assessing and reporting on Aboriginal cultural heritage in NSW* and *Aboriginal cultural heritage consultation requirements for proponents 2010.*

Consultation with registered Aboriginal stakeholders was undertaken to identify Aboriginal heritage in the study area, assess impacts of the proposed expansion activities and develop appropriate mitigation measures.

Three Aboriginal archaeological sites were identified in the proposed pit expansion area: DLS Boral AFT 1, DLS Boral AFT 2 and DLS Boral AFT 3. All three sites would be impacted by the proposed works.

Archaeological significance of the identified Aboriginal sites was determined by their research value, representativeness, intactness and rarity. On the basis of these criteria, sites DLS Boral AFT 1 and DLS Boral AFT 2 display moderate-high archaeological significance and site DLS Boral AFT 3 displays low archaeological significance.

Consultation with the 19 registered Aboriginal stakeholders identified that the study area has cultural heritage value to the local Aboriginal community. In particular, Aboriginal stakeholders expressed the cultural importance and significance of the landscape around the study area. Boral values Aboriginal community consultation and is committed to ongoing consultation with Aboriginal stakeholders for the Dunmore Lakes Sand Project.

A mitigation program comprising archaeological salvage, undertaken prior to the commencement of the proposed works, is required where portions of significant Aboriginal sites would be impacted by the proposal. Significant Aboriginal sites are identified as exhibiting at least moderate archaeological value. Two sites within the study area require salvage excavation: DLS Boral AFT 1 and DLS Boral AFT 2.

The significance of the DLS Boral AFT 1 and DLS Boral AFT 2 archaeological resource resides in the information it contains, its intactness and rarity in the local region. Sites DLS Boral AFT 1 and DLS Boral AFT 2 contain a large number and diverse range of cultural material, have largely intact stratified deposits, and are in fair to good condition with some surface disturbance. The rarity of the archaeological landscape and selective nature of the identified Aboriginal objects means that recovery of the sites' information will offer substantial scientific and cultural knowledge. In this regard, salvage excavation of DLS Boral AFT 1 and DLS Boral AFT 2 is a suitable heritage outcome for the archaeological sites as it will retrieve and curate a representative sample of the information exhibited by the archaeological sites.

A modified development consent is sought for the entirety of the lands subject to the proposed Stage 5 expansion and specifically for Aboriginal objects associated with the following sites:

DLS Boral AFT 1	AHIMS 52-5-0907	Moderate-High significance	Total Impact	Salvage excavation to mitigate impact
DLS Boral AFT 2	AHIMS 52-5-0908	Moderate-High significance	Total Impact	Salvage excavation to mitigate impact
DLS Boral AFT 3	AHIMS 52-5-0909	Low significance	Total Impact	No mitigation required



Contents

EXECUT	IVE SUMMARY	II
CONTEN	ITS	III
FIGURES	S	IV
TABLES		IV
PLATES		IV
1 IN	TRODUCTION	1
1.1	LOCATION AND SCOPE OF ACTIVITY	
1.2	PROJECT REQUIREMENTS	1
2 AB	ORIGINAL COMMUNITY CONSULTATION	5
2.1	REGISTRATION OF INTEREST	5
2.2	CONSULTATION REGARDING THE LAND AND PROPOSED ACTIVITY	6
2.3	Stakeholder responses to the proposed assessment methodology for the Cultural	HERITAGE
	Assessment Report	
2.4	REVIEW OF DRAFT CHAR	-
2.5	STAKEHOLDER RESPONSES TO DRAFT CHAR	-
2.6	ONGOING CONSULTATION	
2.7		
3 DE	SCRIPTION OF THE AREA	9
3.1	LANDFORM, GEOLOGY AND SOIL LANDSCAPES	9
3.2	VEGETATION AND LAND USE	13
3.3	ETHNOHISTORIC CONTEXT	15
4 AR	CHAEOLOGICAL CONTEXT	16
4.1	HERITAGE REGISTER SEARCHES	16
4.2	PREVIOUS INVESTIGATIONS AROUND THE STUDY AREA	
5 VIS	SUAL INSPECTION	22
6 AR	CHAEOLOGICAL TEST EXCAVATION	29
6.1	Аімѕ	20
6.2	Ainis Methodology	-
6.3	RESULTS	-
6.3		-
6.3	3.2 Stage 5B area	40
6.3	3.3 Artefact Distribution	42
6.3	3.4 Lithics	45
6.4	DISCUSSION	
6.5	CONCLUSION	49
7 ID	ENTIFIED ABORIGINAL SITES	50
8 CU	ILTURAL HERITAGE VALUES AND STATEMENT OF SIGNIFICANCE	52
8.1	SIGNIFICANCE ASSESSMENT CRITERIA	52
8.2	STATEMENTS OF SIGNIFICANCE	53
9 PR	OPOSED ACTIVITY AND IMPACT ASSESSMENT	55
10 AV	OIDING AND/OR MITIGATING HARM	55
	ANAGEMENT AND RECOMMENDATIONS	
	MITIGATION THROUGH ARCHAEOLOGICAL SALVAGE EXCAVATION	
11.1 11.2	MITIGATION THROUGH ARCHAEOLOGICAL SALVAGE EXCAVATION NO ARCHAEOLOGICAL MITIGATION REQUIRED	
11.2	PROCEDURES FOR HANDLING HUMAN REMAINS	
11.5	SALVAGED ABORIGINAL OBJECTS	

REFERENCES		58
APPENDIX A	ADVERTISEMENT FOR REGISTRATION OF INTEREST	60
APPENDIX B	ABORIGINAL COMMUNITY CONSULTATION LOG	61
APPENDIX C	ABORIGINAL STAKEHOLDER COMMENTS ON DRAFT CHAR	67
APPENDIX D	EXTENSIVE AHIMS SEARCH RESULTS	81
APPENDIX E	SALVAGE EXCAVATION METHODOLOGY	83

Figures

Figure 1. Location of the study area (Stage 5 Modification)	
Figure 2. Proposed expansion area (Stage 5A and Stage B).	
Figure 3. Geology and soil landscapes within the study area	11
Figure 4. Topography of the study area.	12
Figure 5. Registered Aboriginal sites near the study area (AHIMS results)	
Figure 6. Visual inspection results, landforms and recorded Aboriginal site, DLS Boral AFT 1	
Figure 7. Stage 5A study area test square locations and artefact density.	35
Figure 8. Stage 5B test square locations and artefact density in DLS Boral AFT 1	44
Figure 9. Identified Aboriginal archaeological sites in the study area	
Figure 5. Registered Aboriginal sites near the study area (AHIMS results) Figure 6. Visual inspection results, landforms and recorded Aboriginal site, DLS Boral AFT 1 Figure 7. Stage 5A study area test square locations and artefact density	17 28 35 44

Tables

Table 1. Registered Aboriginal stakeholders	5
Table 2. Registered Aboriginal sites around the study area (AHIMS results)	16
Table 3. Test excavation artefact densities at site DLS Boral AFT 2	
Table 4. Spit depths and artefact count.	34
Table 5. Artefact raw material distribution and size at DLS Boral AFT 2	38
Table 6. Reduction types at DLS Boral AFT 2	38
Table 7. Amount of cortex on artefacts from DLS Boral AFT 2, in relation to raw material and artefact type	39
Table 8. Test excavation artefact densities at site DLS Boral AFT 1	
Table 9. Spit depths and artefact count	43
Table 10. Raw material distribution within DLS Boral AFT 1	46
Table 11. Reduction types at DLS Boral AFT 1	46
Table 12. Presence of cortex in relation to raw material and artefact types, at DLS Boral AFT 1	47
Table 13. Tools and modified artefacts	48
Table 14. Identified Aboriginal cultural heritage values within the study area	50
Table 15. Aboriginal heritage impacts	55
Table 16. Aboriginal sites requiring mitigation (salvage excavation)	56
Table 17. Aboriginal sites with no further archaeological mitigation required	56

Plates

Plate 1. Parish of Terragong, County of Camden Map, 1895. Courtesy of Land and Water Conservation	
(approximate locations of Stage 5A and 5B extraction area outlined in blue).	13
Plate 2. Comparison aerials of Stage 5A and 5B: 1948 and 2016, courtesy of Shellharbour City Council (appr	oximate
locations of Stage 5A and 5B extraction areas outlined in blue)	14
Plate 3. Looking south from the pond between Princes Highway and Riverside Drive	22
Plate 4. Conditions around the pond and access tracks	22
Plate 5. Access driveway along the spurline, facing south	23
Plate 6. View of the beach ridge from the ridgeline, facing south-east.	23
Plate 7. Scattered trees present within the southern section of area 5B.	23
Plate 8. Soil conditions within study area 5B.	23
Plate 9. Conditions and exposures within the pond, facing south.	23
Plate 10. Non artefactual Mud Whelk species located within the exposed banks of the pond	23
Plate 11. Pebble cores and flakes made of silcrete, jasper and petrified wood, located within the pond exposure	es 24
Plate 12. Petrified wood, jasper, silcrete and chert flakes and blades, located within the pond exposures in Stag	ge 5B. 24
Plate 13. Southern section of Stage 5B area, within beach ridge, facing north-east.	24
Plate 14. South-western section of Stage 5B area, general conditions, facing north.	24
Plate 15. Tidal flat landform and small pond located to the east of the beach ridge in Stage 5B area, facing nor	th-west.
	25
Plate 16. Looking south-west from the tidal flat across the elevated beach ridge within Stage 5B area	25
Plate 17. Tidal flat, Stage 5A study area, looking from slopes, facing north-east.	25
Plate 18. Tidal flat and backbarrier flat within Stage 5B study area, facing south-east.	



Plate 19. Steep slopes of the ridgeline and exposed latite bedrock, facing south.	
Plate 20. Shallow soil conditions on steep slope landform, western part of Stage 5B area.	26
Plate 21. Sand body - back barrier flat located within the southern section of the Stage 5A study area, facing r	orth;
general conditions	26
Plate 22. Disturbances within the back barrier flat, facing west	26
Plate 23. View to south-east along baseline transect from TS4, Stage 5B study area; natural pond at left	29
Plate 24. Hand excavated 50cm x 50cm test square, TS20, Stage 5B study area, facing south.	30
Plate 25. Tidal flat, facing west, showing TS 15 across the landform towards the slopes	31
Plate 26. Facing south-east, showing TS 5 across the back barrier sand body and TS 6A and 6B in the distance	31
Plate 27. Stage 5A - TS3 south section	32
Plate 28. Stage 5A, back barrier landform, TS6B east section	
Plate 29. Stage 5A, tidal flat landform, TS15, north section	33
Plate 30. Hammerstone made from MGS recovered in situ from TS 13 from 65-69 centimetres depth (ID 430)	
Plate 31. Jasper core and flakes (ID 297-299), TS 9, 50-60cm depth, jasper retouched angular fragment (ID 281), 30-
40cm depth.	36
Plate 32. Crystalline quartz backed artefacts (ID 118 - TS 6B, ID 150, 151 and 155 TS 7, spit 7	37
Plate 33. Variety of raw material in TS 9 (ID 297,298, 293) including silcrete retouched flake (ID 292) and jasp	er (ID
306)	37
Plate 34. DLS Boral AFT 1 – TS1A, west section	41
Plate 35. DLS Boral AFT 1 – TS 10C, south section	41
Plate 36. DLS Boral AFT 1 – TS10C charcoal feature, facing south.	41
Plate 37. DLS Boral AFT 1 - TS 21, north section	
Plate 38. Petrified wood core and flake fragments (ID 431-435), TS 17, spit 4	45
Plate 39. Artefacts variety at TS 23, petrified wood, silcrete, jasper, chert and chalcedony	45
Plate 40. Coarse silcrete flake fragments with cortex (ID 384, 385) TS 16, (ID 460, 461) TS 17, spit 6	47
Plate 41. Backed artefacts at TS 17 – spit 6: chalcedony, chert and jasper (ID 464, 472, 478).	47
Plate 42. Jasper backed artefact, petrified wood backed blade and agate geometric microlith (ID 356, 333 and 61)	48
Plate 43. Sandstone ground stone (ID 331), TS 10C, spit 7.	48

1 Introduction

Dunmore Sand & Soil Pty Ltd (DSS) is seeking approval for a modification to their existing development consent (DA 195-8-2004) for Stages 2 to 4 of the Dunmore Lakes Sand Project at Dunmore on the NSW South Coast. The proposed modification is for a new extraction stage (Stage 5) on adjoining land and would be a S75W modification to the existing consent. The proposed pit expansion is required to enable the continuation of the current sand extraction operations. The proposed expansion location (the 'study area' for this assessment) is shown in Figure 1.

The original application for Stages 2 to 4 was lodged in 2004, and the Project received development consent from the Minister for Planning in 2005. The consent approves extraction of up to 800,000 tonnes per annum of sand for a period of 25 years. Boral Resources (NSW) Pty Ltd (Boral) purchased DSS (including the Project) in mid-2005. Due to the high demand for sand in the Sydney market, existing approved dredging has moved recently to Stage 3, which is expected to be exhausted in 3 to 4 years. The last approved extraction stage, Stage 4, will be extracted progressively in stages, as it holds the site road access and private rail line and services for the Project and Boral's Dunmore hard rock quarry. This has led DSS to investigate other local sources of sand to continue the Project beyond Stage 3.

DSS has been investigating a fine sand resource located to the south of Stages 2-4. Drilling has confirmed that there is enough sand to support 3 to 4 more years of extraction from two areas (Stage 5A and 5B) (Figure 2). The proposed works for Stages 5A and 5B are located within Lot 51 DP 1012246 and Lot 502 DP 1174897 in the Shellharbour Local Government Area (LGA).

The previous Aboriginal cultural heritage assessment for Dunmore Lakes Sand Extraction Stages 2, 3 and 4 was completed by Robert Paton Archaeological Studies in 2004, including a site survey and consultation with the local Aboriginal community. The archaeological field survey identified the Raised Wetland Rim landform as having moderate archaeological sensitivity and the likelihood for containing artefact scatters. A test excavation program was recommended in these areas if any impacts were proposed, in order to make a full assessment of significance and to create and implement management and mitigation measures for any Aboriginal archaeological sites likely to be impacted by the proposed sand extraction works.

Kelleher Nightingale Consulting Pty Ltd (KNC) was engaged by Element Environment Pty Ltd on behalf of Boral to undertake an Aboriginal archaeological assessment and prepare an Aboriginal Cultural Heritage Assessment Report (CHAR) to inform the environmental assessment (EA) for the proposed Stage 5 expansion project.

The CHAR has been prepared in accordance with the EA requirements for the project and Office of Environment and Heritage (OEH) requirements and guidelines for Aboriginal community consultation and archaeological assessment.

1.1 Location and scope of activity

The proposed development area (hereafter referred to as the 'study area') is situated in Dunmore, approximately 120 kilometres south of the Sydney CBD (Figures 1 and 2). The proposed extraction sites are located within Lot 51 DP 1012246 and Lot 502 DP 1174897 in the Shellharbour Local Government Area (LGA). Required access routes and sand pipelines have also been included in the study area.

The proposed activities associated with sand extraction include:

- Vegetation clearance;
- Extraction of sand by excavator (Stage 5A with a total area of 3.42 ha, and Stage 5B with a total area of 8.12ha);
- Dredging and pumping the sand onto the existing processing area on Stage 2 for washing, stockpiling and dispatch;
- Installation of two pumping stations/boosters;
- Installation of sand pipeline connecting extraction and processing areas;
- Installation of two access roads, 240 metres and 970 metres in length, 3.5 metres in width; and
- Installation of a temporary portable site office and 10 light vehicle spaces

1.2 Project requirements

The objective of the Aboriginal cultural heritage assessment was to combine Aboriginal community consultation with archaeological investigation to identify if the proposed expansion would impact on Aboriginal cultural heritage and if so, what measures could be undertaken to manage or mitigate Aboriginal heritage impacts.



The assessment was carried out in accordance with the:

- NSW Department of Planning and Environment requirements;
- Code of Practice for Archaeological Investigation of Aboriginal Objects in NSW (OEH 2010b);
- Guide to investigating, assessing and reporting on Aboriginal cultural heritage in NSW (OEH 2011); and
- Aboriginal cultural heritage consultation requirements for proponents 2010 (OEH 2010c).

The assessment included:

- effective consultation with Aboriginal communities to identify Aboriginal heritage in the study area, assess impacts of the proposed expansion activities and develop appropriate mitigation measures;
- detailed archaeological investigation of the study area, including archaeological test excavation;
- Aboriginal cultural heritage assessment, including both cultural and archaeological significance; and
- preparation of impact mitigation and management measures.





Figure 1. Location of the study area (Stage 5 Modification)





Figure 2. Proposed expansion area (Stage 5A and Stage B).



2 Aboriginal Community Consultation

The aim of Aboriginal community consultation is to integrate cultural and archaeological knowledge and ensure registered stakeholders have information to make decisions on Aboriginal cultural heritage. For the preparation of this CHAR consultation with Aboriginal people has been undertaken in accordance with the OEH *Aboriginal Cultural Heritage Consultation Requirements for Proponents 2010* (OEH 2010c) and the requirements of Clause 80C of the *National Parks and Wildlife Regulation 2009*. The formal consultation process has included:

- government agency notification letters (letters dated 08/06/2018);
- advertising for registered stakeholders in local media (Illawarra Mercury 20/04/2018: refer Appendix A);
- notification of closing date for registration (25/07/2018);
- ongoing compilation of registrants list, through continuing to register individuals and groups for consultation on the project;
- provision of project information and proposed cultural heritage assessment methodology (letters dated 20/08/2018) allowing for a 28 day review period;
- provision of proposed test excavation methodology for comment and review (20/08/2018), allowing for a 28 day review period;
- provision of draft CHAR (25/01/2019), allowing for a 30 day review period; and
- ongoing consultation with the local Aboriginal community.

Aboriginal stakeholders were consulted throughout all stages of the assessment process. A full log of consultation is attached as Appendix B. Boral is committed to ongoing consultation with the Aboriginal community.

2.1 Registration of interest

Aboriginal people who hold knowledge relevant to determining the cultural heritage significance of Aboriginal objects and Aboriginal places in the area were invited to register an interest in a process of community consultation. Nineteen groups or individuals registered an interest in the project. Investigations included consultation with Aboriginal community individuals and groups as listed in Table 1.

Table 1. Registered Aboriginal stakeholders

Registered Aboriginal Stakeholder	Representative and/or Contact Person		
Illawarra Local Aboriginal Land Council	Paul Knight		
Duncan Falk Consultancy	Duncan Falk		
Leanne Tungai	Leanne Tungai		
Darug Land Observations	Anna O'Hara		
Woronora Plateau Gundangara Elders Council	Kayla Williamson		
Goobah	Basil Smith		
Biamanga	Janaya Smith		
Cullendulla	Corey Smith		
Gary Caines	Gary Caines		
Gulaga	Wendy Smith		
Murramarang	Roxanne Smith		
Guunamaa Dreamin Sites and Surveying	Richard Campbell		
Tungai Tonghi	Troy Tungai		
Murra Bidgee Mullangari Aboriginal Corporation	Ryan Johnson		
Muragadi Heritage Indigenous Corporation	Jesse Johnson		
Merrigarn Indigenous Corporation	Shaun Carroll		
Barraby Cultural Services	Lee Field		
Yurrandaali Cultural Services	Bo Field		
Wodi Wodi Coomaditchie Aboriginal Corporation	Heather Ball		
James Davis	James Davis		



2.2 Consultation regarding the land and proposed activity

Following on from Stage 1 of the consultation process undertaken by KNC (stakeholder identification and registration), project-specific consultation was undertaken. Information regarding the proposed extraction project was provided to registered Aboriginal stakeholder groups in a letter dated 20/08/2018. Information included an outline of the proposal, location of the study area, development approval context and an invitation to consult during the assessment.

Stakeholders were also provided with the proposed assessment methodology for the Cultural Heritage Assessment Report, and invited to review and provide feedback (review period of 28 days, closing on 17/09/2018). An invitation was extended for Aboriginal cultural knowledge holders and stakeholders to provide comments on the proposed cultural heritage assessment methodology, including any protocols regarding the gathering of information and any matters such as issues/areas of cultural significance that might affect, inform or refine the assessment methodology.

2.3 Stakeholder responses to the proposed assessment methodology for the Cultural Heritage Assessment Report

Responses to the proposed assessment methodology were received from Barraby Cultural Services (BCS), Duncan Falk Consultancy (DFC), Murra Bidgee Mullangari Aboriginal Corporation (MBMAC), Muragadi Heritage Indigenous Corporation (Muragadi), Tungai Tonghi, Woronora Plateau Gundangara Elders Council (WPGEC), and Yurrandaali Cultural Services (Yurrandaali).

BCS stated that they supported the proposed assessment methodology for the project (email dated 22/08/2018).

DFC stated they had read and reviewed the methodology and endorsed the proposed approach (email/letter dated 28/08/2018).

MBMAC expressed support for the recommendations in the assessment methodology (email dated 21/08/2018).

Muragadi stated they had reviewed the project information and proposed methodology and endorsed the proposed approach (email dated 21/08/2018).

Tungai Tonghi affirmed their interest in the project (email dated 23/08/2018).

WPGEC advised they had received the methodology (email dated 20/08/2018) and asked for further detail regarding the test excavation program (specific number of test pits and size of the test areas). Dr Matthew Kelleher (KNC) responded via phone call on 27/08/2018 to confirm the location of test areas and identified sensitive landforms, and discuss the amount of test squares estimated to be required to sample these. WPGEC agreed with the proposed approach.

Yurrandaali stated that they supported the proposed methodology (22/08/2018).

2.4 Review of draft CHAR

The draft CHAR was provided to stakeholders with an invitation to review and provide comment. Stakeholders were invited to comment on the Aboriginal cultural significance of the study area and the identified sites, along with the management recommendations presented in the report. A 30 day review and comment period was provided.

Comments and information received from stakeholders during this period are attached in full in Appendix C and summarised below.

2.5 Stakeholder responses to draft CHAR

Responses to the draft CHAR were received from Barraby Cultural Services (BCS), Duncan Falk Consulting (DFC), Guunamaa Dreamin Sites and Surveying (GDSS), Leanne Tungai, Murra Bidgee Mullangari Aboriginal Corporation (MBMAC), Muragadi Heritage Indigenous Corporation (Muragadi), Merrigarn Indigenous Corporation (Merrigarn), Yurrandaali Cultural Services (Yurrandaali) and Woronora Plateau Gundangara Elders Council (WPGEC).

BCS acknowledged receipt of the draft CHAR but did not provide any further comment (email dated 28/01/2019).

DFC stated they had reviewed the draft CHAR and agreed with the proposed salvage. DFC also noted they supported the proposed two-stage salvage approach, in order to identify the best locations for open area salvage (email dated 26/01/2019).



GDSS acknowledged receipt of the draft CHAR and expressed their interest in being involved in the proposed salvage excavation fieldwork at the sites (email dated 25/01/2019).

Leanne Tungai acknowledged receipt of the draft CHAR and stated that she would like to be involved in future work on this project (email dated 26/01/2019). No further comment was provided during the review period.

MBMAC stated they had read the draft CHAR and agreed with the recommendations (email dated 25/01/2019).

Muragadi stated they agreed with the recommendations made by KNC (email dated 25/01/2019).

Merrigarn also stated they had reviewed the draft CHAR and agreed with the recommendations (email dated 25/01/2019).

Yurrandaali acknowledged receipt of the draft CHAR but did not provide any further comment (email dated 28/01/2019).

WPGEC reconfirm the identified archaeological value of the project area; however expressed opposition to the proposed development on several grounds (email/letter dated 25/02/2019), noting that the property is significant for several reasons:

1. WPGEC believe the site is "a rare undisturbed estuary".

Response: While the site exhibits archaeological value it is not an undisturbed environment. The project area is largely cleared of trees, used for agricultural activity and filled in low lying areas (Stage 5A). The tree clearing and agricultural activities have resulted in pockets of intense disturbance (holes in the ground) and contributed to a low intensity blanket of disturbance (c.25cm deep) over the majority of the land. Archaeology remaining between the pockets of disturbance and beneath the agricultural layer displays an intactness of information, but it is not an undisturbed environment.

2. WPGEC state the "intactness" and "distribution of artefacts clearly show that occupation and activities at this site occurred during a prolonged period of time and on a repeated basis". Furthermore, WPGEC state that the information from the test excavation "may suffice for the purposes of understanding and managing sites in similar estuarine environments".

Response: The current level of archaeological assessment, in accordance with the OEH Code of Practice, identifies the archaeological significance of the site. Much of that significance resides in the information the site offers rather than any inherent value. Mitigation of the site will assist in unlocking the site's scientific values. No chronological information exists for the site, thus it is not possible to determine the length of occupation or if occupation extended over multiple events. Obtaining a chronology for the archaeology is an important part of the proposed mitigation and would add considerable value to understanding the region's archaeology. The information gained from salvage excavation will directly assist in managing similar sand environments because it will show if sand bodies are maintaining longer term archaeological records or are they simply single events representing a sand erosion cycle – old sand and any associated heritage being washed away and then replaced by new sand and heritage.

3. WPGEC link the location of a massacre site south of the project area to the current project area.

Response: The Dunmore Lake Sands Project has no direct or indirect connection to the massacre site located loosely on the Minnamurra River. The proposed operations will not impact the massacre site. The historic massacre is an important event in Aboriginal history, however the archaeology of the project area shows no connection to the massacre event.

4. WPGEC state the project area has a "high potential of containing burials".

Response: Aboriginal burials may exist anywhere given the correct conditions. The project area is no more or less likely than other similar environment to contain burials. A procedure for human remains is included in section 11 of the CHAR. The archaeological assessment and test excavation program undertaken for the Dunmore Lake Sands Project identified no indication that Aboriginal burials exist on the property.

2.6 Ongoing consultation

Boral values Aboriginal community consultation and is committed to ongoing consultation with Registered Aboriginal Stakeholders for the Dunmore Lakes Sand Project.



2.7 Aboriginal cultural values

It has been identified during the consultation process that the wider study area has cultural heritage value to the local Aboriginal community. Some of the Aboriginal cultural heritage values expressed by stakeholders include:

- strong association with the land
- responsibility to look after the land, including the heritage sites, plants and animals, creeks and the land itself
- scarred trees
- artefact sites and middens
- creek lines and rivers, especially major landscape features such as the Minnamurra River, its tributaries and floodplains
- indigenous plants and animals
- general concern for burials, as their locations are not always known and they can be found anywhere. Consultation has identified that burials are known to the Aboriginal community along the banks of the Minnamurra River to the south of the study area (James Davis, phone call 16/11/2018).
- connection to more recent (post-European) Aboriginal history including a massacre site on the Minnamurra River recently acknowledged by Kiama Council (see section 3.3).

Aboriginal cultural values and knowledge of the area have been provided by registered stakeholders throughout the consultation process and are summarised below.

Darug Land Observations (DLO) noted during registration that members of the contemporary Aboriginal community retained strong story, song lines, oral history and continued contact with the area (letter/email dated 12/07/2018).

Guunamaa Dreamin Sites and Surveying (GDSS) also noted the presence of songlines in the area as well as other known Aboriginal sites including scarred trees (email dated 12/07/2018).

Woronora Plateau Gundangara Elders Council (WPGEC) advised that the area held high value and cultural significance for a number of reasons, including its value as forming part of a "rare undisturbed estuary environment" within the wider Illawarra region (letter and email dated 25/02/2019). The intact archaeology of the sites demonstrated "continuous occupation with evidence of a lengthy and maintained connection to this land". WPGEC also noted the presence of the recorded massacre site on the Minnamurra River approximately 500 metres to the south, and noted that the study area's proximity to this site meant it should be afforded appropriate respect. In addition, WPGEC noted a high potential for Aboriginal burials, both older and more recent instances given the sandy deposit, proximity to water and the known massacre site.



3 Description of the Area

3.1 Landform, geology and soil landscapes

The study area is located within the Illawarra subregion of the Sydney Basin. It is within the Coastal Plain physiographic region that lies between the Illawarra Escarpment and the sea. The Sydney Basin is a large geological feature stretching from Batemans Bay in the south to Newcastle in the north and Lithgow in the west. The basin formed between the Permian and Triassic when sedimentary rocks were created by the deposition of sediment from fluctuating marine advance and regression onto older basement rocks of the Lachlan Fold Belt and Late Carboniferous volcanoclastic sediments (Mayne et al. 1974). Earth movements between 180 and 200 million years ago within the southern side of the basin forced the layers of sedimentary and volcanic rock upwards (Young 1980a). The combination of erosion and the downward movement of debris on the southern side of the basin produced the Illawarra Escarpment which stretches from the Royal National Park in the north to Berry in the south and overlooks the Illawarra Coastal Plain.

The basal geology of the study area consists of Bumbo Latite, a member of the Gerringong volcanic facies and an intrusive feature of the Budgong Sandstone Formation (Figure 3). Bumbo Latite is a fine grained basalt-like aphanitic to porphyritic latite which formed during the Permian Period (298 – 252 million years ago) (Bowman 1974: 37). The latite ranges from mid grey to black in colour with commonly occurring columnar jointing, breccia zones and inclusions of metamorphosed sandstones. In areas of the thickest development, the latite occurs in three flows that are separated by breccia zones and discontinuous sediment. Bumbo Latite is porphyric basalt with a fine-grained groundmass varying from mid grey to black in colour.

Quaternary deposition within the Coastal Plain has mainly taken place within coastal barrier, estuarine plain and alluvial plain settings. The rising sea within the coastal lowland developed into estuaries with tidal channels and flats along margins. As the water level rose, the flooded area was fringed by freshwater marshes in which peat bog could develop. These sedimentary environments form a dynamic system that can shift landward or seaward, with superimposition of one type of sediment over another in response to a number of factors including the rate of sea level rise, sediment supply and accumulation space. This dynamic character implies that at any time during the Holocene all different types of sediments could have existed next to one another sometimes even over short distances (Bailey *et al.* 2017: 227). The New South Wales Coastal Geology Maps Series has produced map coverage of unconsolidated sedimentary deposits in the coastal areas of NSW. These deposits have been classified into three depositional systems, each of which is distinguished by a particular range of sediment types, processes and geomorphic features. Most of the units are also differentiated by age as Holocene (deposited within the last 12,000 years during the post-glacial marine transgression and rising sea level), or Pleistocene (deposited prior to this time, during low sea levels). According to this mapping, the study area lies within three Quaternary depositional units (Figure 3):

- Qhef (Holocene tidal-delta flat) northern part of Stage 5A within this estuarine plain system, characterised by marine sand, silt, clay, shell and gravel;
- Qhbf (Holocene backbarrier flat) southern parts of Stage 5A within this coastal barrier system, characterised by marine sand, silt, clay, gravel and shell;
- Qhbr (Holocene beach ridge and associated strandplain) Stage 5B within this coastal barrier system, characterised by marine sand, shell and gravel.

Estuarine depositional environments occur within the transitional zone between alluvial and coastal barrier environments. Deposition takes place in and around enclosed to partially enclosed water bodies of brackish to marine salinity, generally under regular to intermittent tidal influence. Tidal-delta flats (Qhef - northern section of Stage 5A) represent older, vegetated areas that are generally mantled by swamps or palaeochannels. They may grade into backbarrier flats (Qhbf), often beneath freshwater swamp cover.

Coastal barriers occur within the most seaward parts of the coastal plain. Beach ridges generally occur in a subparallel series to form a beach-ridge plain (Qhbr - Stage 5B study area). The ridges represent successive periods of beach and frontal dune accretion along coastal sectors experiencing net accretion over geological time scales.

Areas of low elevation and relief occupying the landward portions of barrier systems are termed backbarrier flats (Qhbf - southern section of Stage 5A). They are considered to be formed through storm washover deposition in the initial stages of barrier formation. Such processes become inactive over time due to the growth of dunes and/or increase in the width of the barrier system through seaward progradation. Thus, backbarrier flats are generally relict features unrelated to contemporary processes.

The study area lies in its entirety within the Mangrove Creek Soil Landscape (Figure 3) as classified by Hazelton (1992). These soils are Holocene sediments that occur within four different shore zones each with a different drainage and inundation pattern. At the lowest elevation is the mudflat zone, which is regularly inundated except during low tide; with increasing elevation are mangrove zones inundated only during high tide; the saltmarsh zone inundated only



during spring flooding; and finally littoral rain forest that is rarely flooded and has interrupted or absent drainage. Local relief is <3 metres and slopes <3%. Mangrove Creek soils are deep Siliceous Sands and Calcareous Sands on mangrove flats, and Humic Gley soils on salt marshes. They consist of up to 30 centimetres of organic mottled brown silty loam occurring as topsoil (Horizon A), overlying <50 centimetres of organic black sandy loam, and <100 centimetres of shelly greyish yellow sand occurring as subsoil (Hazelton 1992: 131-133). Boundaries between soil layers are gradual to diffuse. The soil landscape is abundant in organic fibrous matter and its erodibility is generally very low.

Analysis of European land use and its subsequent effect on regional soils has identified that while evidence for erosion in the form of gullying and sheet erosion is widespread, overall soil erosion in the Illawarra region is generally low (Young 1980b). This relates to the biased European selection of volcanic/sandstone geological contexts (and subsequent soil landscape development) for agriculture and use as pasture. Land on coastal sands was largely ignored for farming due to the low fertility of the sandy soils, but was used for grazing. As intensive grazing requires a stable soil matrix to support good grass cover, these areas have generally been well maintained in order to facilitate their use as pasture.

Topographically, the study area is located across floodplain and estuarine landforms associated with the Minnamurra River and its estuary (Figure 4). Stage 5A and Stage 5B are dissected by an extensive ridgeline running north-east towards the floodplain. The southern section of Stage 5A is located to the west of the Minnamurra River on a backbarrier flat between the saline swamp and a tidal flat. The northern section of Stage 5A is situated within the tidal flat landform which extends along Rocklow Creek, a major tributary to the Minnamurra River. Stage 5B is within a beach ridge landform, located to the south of the ridgeline, and west and north of the Minnamurra River.

Hydrology around the study area is characterised by the presence of the Minnamurra River and its estuary. Rocklow Creek, one of its major tributaries is located to the north of the study area. Saline water from the tidal influence of the Minnamurra River normally reaches the section of Rocklow Creek east of the Illawarra Railway Line and can extend into the section west of the Princes Highway, within the Stage 5A study area. Several small drainage lines run west-east and empty into the Minnamurra River, with one of these running along the northern boundary of the Stage 5B study area. One small dam is located to the north of the Stage 5B area and is associated with this drainage line.

Boral completed a drilling program in 2016 in order to investigate the presence and viability of the sand resource within Stages 5A and 5B. Total depth of sediments varied according to sand presence/absence, depth and quantity and was between 6.4 and 27 metres. The general soil profile within Stage 5B consisted of sandy topsoil and weathered sand between 2 and 3.5 metres depth, overlying between 2.5 and 9 metres of fresh (unweathered) tsunami-deposited medium and fine sands with varying shell content. Fresh sands overlie fluvial sand deposits, but are separated by a small layer of clay deposit. The underlying base rock is latite, which sits closer to the surface or outcrops within the areas adjacent to the hill, to the north of the Stage 5B area. The northern section of the Stage 5A area that lies within the tidal flat, revealed weathered topsoil sand deposit to 0.75 metres, overlying 5 metres of fresh unweathered sand. The southern sections of the Stage 5A area within the backbarrier flat revealed topsoil of weathered sand between 4 and 4.5 metres depth, overlying between 1 and 3 metres of fresh, tsunami-deposited unweathered sand. These fresh sands overlie clayey sand, clay and latite base rock.

The geology, soil and landforms of the study area influence the presence of Aboriginal archaeological features. Coastal and estuarine environments within the study area would have made it an attractive locale for past Aboriginal people. Estuarine, swamp/wetland and the littoral and marine resources of the coast were all available, along with fresh water from smaller streams. The variety of habitats would also have encouraged a diverse population of fauna. Many fish and crustacean species breed in estuaries and then spend their adult lives in the sea. This makes estuaries a good feeding ground for a number of wading birds who feed on the juveniles. Raw materials suitable for tool-making are available from surrounding geologies and may have been sourced directly from outcrops or as stream and river cobbles transported to the coast from deposits further inland. The soils derived from the volcanic geology of the study area also supported varied native vegetation which was utilised by past Aboriginal people as a resource.

The adjacent catchment areas of Frazers Creek and Rocklow Creek would also have offered important resources. These would have differed significantly during the Holocene when the flood plains and eastern portion of Rocklow Creek formed an estuary. Topographically, elevated and well-drained portions of the study area would have been a preferable camping place surrounded by a variety of resources.






Figure 3. Geology and soil landscapes within the study area




Figure 4. Topography of the study area.

3.2 Vegetation and land use

The study area is located within the Lake Illawarra Alluvial Plains as mapped by NSW Department of Conservation and Climate Change (DECC) in 2002 (Mitchell Landscape). Most of the plains are cleared, but originally had Forest Gum (*Eucalyptus tereticornis*), Woolybutt (*E. longifolia*), White Stringybark (*E. globoidea*), Thin-leaved Stringybark (*E. eugenoides*) and extensive stands of Swamp Oak (*Casuarina glauca*), Prickly Paperbark (*Melaleuca styphelioides*) and decorative paperbark (*Melaleuca sp.*) on brackish wet ground near creeks. River Oak (*Casuarina cunninhammiana*) is found close to fresh water streams. The understorey varies and contains either a dense ground layer containing grasses, herbs and sedges to a height of 1 metre; or a shrubby layer, sometimes including plants such as *Pittosporum* species to a height of 2 metres.

Much of the vegetation on the coastal plain of the Illawarra and South Coast region has been cleared, fragmented or heavily modified. At least 75% of the ecological community has been cleared and it is still subject to clearing due to ongoing development of the region. Other impacts stem from stock grazing, changes to fire regimes and recreational activities. A small area in the south-western corner of Stage 5B contains thinned sand forest vegetation.




Plate 1. Parish of Terragong, County of Camden Map, 1895. Courtesy of Land and Water Conservation 138329. (approximate locations of Stage 5A and 5B extraction area outlined in blue).

Historical land use within the region included the cultivation of crops, grazing cattle and quarrying. Review of the historical parish maps revealed that the study area has been through very limited land modifications in the last 200 years (Plate 1). Extensive swamps are mapped to the east of the Stage 5B area, adjacent to the Minnamurra River. Major disturbances within the study area surroundings are associated with the construction of 'Dunmore House' and its outbuildings and access roads. It is located on the prominent ridgeline between Stage 5A and Stage 5B. Past land use activities within areas are limited to land clearance and installation of fences and informal access paths. Aerial photography dated from 1948 revealed that the majority of native vegetation had already been extensively cleared. The entire Stage 5A area was cleared with only a few remnant trees; Stage 5B area showed tree cover south of the small dam. These land use practices would have removed the majority of mature native trees.

Removal of trees would also have caused disturbance of surface soil layers, causing mixing of topsoil sand deposits. The drainage line located to the north of Stage 5B has not gone through any major modifications. Both areas are currently covered in short pasture grass, with scattered trees present to the south of Stage 5B. A dam located to the north of Stage 5B is most likely natural and associated with a small drainage line flowing west-east to the Minnamurra River. Currently, the study area is used for cattle pasture. The study area contains numerous dirt tracks used for both vehicle and pedestrian access.






Plate 2. Comparison aerials of Stage 5A and 5B: 1948 and 2016, courtesy of Shellharbour City Council (approximate locations of Stage 5A and 5B extraction areas outlined in blue)

3.3 Ethnohistoric context

The study area lies within a landscape which was important to, and intensively used by, past Aboriginal people. Aboriginal people living in the Illawarra spoke various dialects of the language known as Tharawal (also spelled Dharawal, Thurrawal, Turuwul, Darawal etc.), a local word for cabbage palm. It was spoken and understood from Botany Bay and Sydney in the north, west towards the Blue Mountains, Moss Vale and Goulburn, and south to the Shoalhaven River and Jervis Bay (DEC 2005: 6). The Tharawal language was largely associated with coastal groups however the boundaries of "languages or dialects can only be indicative at best", chiefly because groups of people and their language do not move around based on straight lines dividing language groups (Attenbrow 2002:34-35). The Tharawal people living in the vicinity of the study area were known as the Wodi Wodi (also spelled Wadi Wadi), whose traditional oral histories tell of their arrival at Lake Illawarra by canoe, long ago when the Ancestors were animals (DEC 2005:6). Traditional stories tell how they brought the Dharawal cabbage tree palm with them from the north and were named for it (DEC 2005:6).

Early European accounts indicate that the Wodi Wodi lived as a highly mobile and dispersed population, primarily in small territorial clans and local clans of extended family groups, forming larger bands through social and cultural links including marriage and communal participation in subsistence activities. The Illawarra and wider NSW South Coast offered many lakes, estuaries, sandy beaches and intertidal zones with a diversity and abundance of resources for the local people to use. In the Illawarra region, local Aboriginal people were identified as fresh or salt water people due to their occupation of particular marine or estuarine landscapes and their use of the natural resources found in these environments. They would have access to a wide range of axian, terrestrial and marine fauna; repeated firing of the vegetation would have opened up foliage allowing ease of access through and between different eco zones.

European observers noted that the large water bodies such as Lake Illawarra were important fishing areas for past Aboriginal people and were fished from canoes used bone hooks and lines or specially constructed spears (DEC 2005:10). Historical accounts also recorded the use of the many creeks of the area for fishing using spears and fish traps made of loosely woven plant fibre and sticks. Spears, pit traps and snares were used to hunt wallabies in the forested hinterland away from the coast, while possums were smoked out of hollow trees and logs (DEC 2005: 12). Reptiles were hunted in the open forests along the escarpment, and wild honey collected from native bee hives. Plant resources, as well as providing important foodstuffs, were also used to construct spears, digging sticks, boomerangs and other tools. Forest trees yielded bark strips suitable for canoes and shelters, as well as fibres for string and rope. Plants from the swamps on the coastal plain were particularly used for fish nets and string bag-making. Other plants provided fish poison, dyes and paints.

Following the first land grants in the Illawarra from the early nineteenth century, Aboriginal land use and resources were depleted by the introduction of livestock, exotic plants, tree clearing and fencing. Land grants were mainly given fronting fresh water creeks or rivers, which limited Aboriginal people from obtaining the economic resources concentrated around these water bodies. They were pushed to the fringes of their Country, mainly towards the coast. In addition to this, introduction of exotic diseases including smallpox further decreased the number of local Aboriginal people in the area, with an estimated half the population affected (Organ 1990: 5). Conflict between the European settlers and local Aboriginal people became more common as pressure on the traditional owners increased, with numerous instances of Aboriginal people taking crops and livestock from settlers as their own traditional economic resources were subsumed (DEC 2005:18-19). This often led to violent reprisals from settlers, with a number of Aboriginal people shot or mutilated in retaliation for the 'thefts' or during other disputes. Settlers rarely faced serious punishment for their treatment of Aboriginal people. One such instance was recorded along the Minnamurra River south of the study area.

In October 1818 Lieutenant Weston, land owner at Dapto and Cornelius O'Brien, formerly a stockman at Sandon Point and now the overseer of a property at Yallah, organised a group of seven labourers and convicts. Unusually armed with muskets, cutlasses and pikes, they headed to Kiama supposedly to fetch two muskets lent to a group of people living on the Minnamurra River. According to Young Bundle, who was long trusted by the British, the posse killed all the people at the camp. The attackers admitted only to wounding a boy in self-defence. After a sharp letter of protest from Charles Throsby to Governor Macquarie, the murders were investigated by D'Arcy Wentworth, the Principal Superintendent of Police, along with other magistrates. They took no action against the killers despite a letter from Governor Macquarie to D'Arcy Wentworth expressing his "surprise, regret and displeasure" at their findings. (Donaldson et al 2017:13).

Kiama Council formally acknowledged this massacre in October 2018 at a public ceremony and acknowledgement of the event will form part of interpretation strategies for the new Minnamurra Boardwalk project on the opposite side of the river, with a permanent plaque to be laid. Contemporary Aboriginal people maintain a strong connection to the area and retain both cultural and historical knowledge of its settlement history. The value of the general area to both the past and the present Aboriginal community is underscored by the ongoing cultural connection expressed by the contemporary Aboriginal community, as evidenced during the formal consultation process.



4 Archaeological Context

4.1 Heritage register searches

The Aboriginal Heritage Information Management System (AHIMS) is a database operated by OEH, regulated under section 90Q of the *National Parks and Wildlife Act 1974*. AHIMS contains information and records related to registered Aboriginal archaeological sites (Aboriginal objects, as defined under the Act) and declared Aboriginal places (as defined under the Act) in NSW.

A search of AHIMS was conducted on 20 April 2018 to identify registered (known) Aboriginal sites or declared Aboriginal places within or adjacent to the study area (AHIMS Client Service ID: 340468). The search results are attached as Appendix D. Subsequently recorded sites within the study area were registered as part of the current assessment following test excavation (see section 7.4).

The AHIMS Web Service database search was conducted within the following coordinates (GDA, Zone 56):

Eastings:	300800 to 304650
Northings:	6164300 to 6169300
Buffer:	200 metres (search area included an extensive buffer)

The AHIMS search results revealed 29 Aboriginal sites had been recorded within the search area (Figure 5). No Aboriginal places had been declared within the search area. Site features ('site types') are listed in the table below.

Table 2. Registered Aboriginal sites around the study area (AHIMS results)

·	, ,	,		
Site Context	Site Features (Site Type)		Total	%
Open	Artefact		9	31.1
	Shell; Artefact (Midden)		18	62.1
	Shell		1	3.4
	Restricted Site*		1	3.4
		Total	29	100

*Discussions were held with the AHIMS registrar regarding the location of the restricted site. It was confirmed that this site is not located within the vicinity of the study area (David Gordon, personal communication, 18/12/2018).

Other sources of information including heritage registers and lists were also searched for known Aboriginal heritage in the vicinity of the study area. These included:

- Shellharbour Local Environmental Plan 2013
- Kiama Local Environmental Plan 2011
- State Heritage Register and State Heritage Inventory
- Commonwealth Heritage List
- National Heritage List
- Australian Heritage Database
- Australian Heritage Places Inventory
- Register of the National Estate (non-statutory list).

No Aboriginal archaeological sites or Aboriginal heritage items listed on AHIMS or the heritage lists were situated within the study area.

The location of registered Aboriginal sites within the search area is shown on Figure 5.





Figure 5. Registered Aboriginal sites near the study area (AHIMS results)

Kel Nig

4.2 Previous investigations around the study area

A number of Aboriginal archaeological surveys and assessments have been undertaken associated with the existing Dunmore Hard Rock Quarry, located to the north west of the study area. These have included a 2003 survey and assessment of Lot 1 DP 571406, Dunmore Hard Rock Quarry (Australian Archaeological Survey Consultants Pty Ltd (AASC) 2003); 2003 and 2004 survey and assessment as part of the DA for the increase in production at the quarry (Robert Paton Archaeological Studies Pty Ltd 2003, R.W. Corkery & Company Pty Limited 2003, AASC 2004); and in 2008 survey and assessment as part of the Statement of Environmental Effects for the proposed Hard Rock Quarry extension (AASC in R.W. Corkery & Company Pty Limited 2008). These previous assessments identified one open artefact scatter (site DQ1; AHIMS 52-2-1791) and one scarred tree (site DQ2; AHIMS 52-5-0300) within the existing Dunmore Hard Rock Quarry area.

KNC has also undertaken archaeological investigations for the Dunmore Hard Rock Quarry (KNC 2017). Three test excavation areas were identified within the assessment area on a south east running spurline in proximity to a natural reservoir. Soils consisted of erosional Bombo Soil Landscape occurring as sandy clay loams, underlain by Bumbo Latite. Test excavations recovered a total of 86 artefacts. Raw materials included primarily fine grained siliceous stone, classified as agate, chalcedony and chert, as well as smaller quantities of quartz, silicified tuff, mudstone, unidentified fine grained siliceous, jasper, unidentified medium grained siliceous, igneous, petrified wood and quartzite. Artefact types included a hatchet/anvil fragment which had been recycled for use as a core, modified cobbles, whole flakes and a backed artefact. The three areas were subsequently identified as three artefact scatter sites (Croome West AFT 1, Croome West AFT 2 and Croome West AFT 3). Croome West AFT 1 and Croome West AFT 2 were identified as having moderate archaeological significance and have subsequently been salvaged in accordance with mitigation measures. Croome West AFT 3 was assessed as having low archaeological significance and no further assessment was deemed necessary.

Salvage excavations were completed by KNC in 2018 of two artefact scatter sites, Croome West AFT 1 (CW1) and Croome West AFT 2 (CW2). The assemblages consisted of a total of 1,188 artefacts from both CW1 and CW2. They were mostly comprised of flakes, with limited on site manufacturing, as evidenced by the limited number of cores and mainly low artefact density across CW2. The generally low frequency of cores and slightly higher frequency of modified flakes (including 21 backed artefacts) all trended towards a non-utilitarian use of the hill crest. Cultural activity on the site was likely to have been for a specific cultural practice, with lithic resources carried in from the surrounding area or even coastal gravels to the east.

Closer to the current study area, Sullivan completed an assessment in 1977 of an area adjacent to the Minnamurra River, where she identified two concentrations of archaeological material. A dense scatter of artefacts and shell was identified over an area of 5 square metres on the margins of a large pond resulting from sand mining, on a Quaternary alluvial plain, approximately 500 metres south-west of the current study area. The site was recorded as Minnamurra Glengowrie (AHIMS 52-5-0072) (Figure 5). At another location augering indicated that stratified deposit 10-20 centimetres thick was present at 20 centimetres depth. This second site was identified within the coastal beach ridge landform, at the bottom of the Wants Hill, approximately 100 metres south of the study area. It was recorded as artefact scatter Minnamurra (AHIMS 52-5-0117) (Figure 5). Identified cultural material included scattered shell, charcoal, burnt bone fragments and flaked stone material exposed and disturbed by local sand mining. Considering the proximity to estuarine resources, it was noted that there was a high likelihood that further Aboriginal archaeological material could occur within the area, particularly around the base of the hill to the north and east.

An archaeological survey as part of an EIS was completed by K. Gollan within the Tabbagong property in 1983. One Aboriginal shell midden and artefact scatter site was identified 10 metres from the wetland margin north of the Minnamurra River, approximately 500 metres south-west of the current study area. The site was recorded as Tabbagong; Tabbagong 1 (AHIMS 52-5-0159), and consisted of shell material and fine grained siliceous stone artefacts located within an area of 20x30 metres and to 30 centimetres depth under 10 centimetres of organic cover. It was considered that good pasture grass was protecting the surface of the site and that there was no threat to the midden from erosion or traffic.

A survey for the Shellharbour Waste Disposal Depot at Dunmore, one kilometre north of the current study area identified one site, a remnant midden, that is recorded on the AHIMS register as two separate sites: Dunmore Midden Shellharbour Waste Disposal Dump (AHIMS 52-5-0201) and Dunmore Midden (AHIMS 52-5-0213) (Figure 5), 20 metres south of Rocklow Creek (Bonhomme 1985). The site covered an area of 25 square metres, on a flat area adjacent to the swamp on a Quaternary alluvium, extensively disturbed by sand mining. It has since been destroyed. No further archaeological sites were identified.

Previous research undertaken by Sullivan in 1982 on the south coast has shown that middens in the estuarine environments were usually located on elevated ground around the margins of the estuaries. Navin (1987) found that areas around Lake Illawarra contain sites on raised surfaces of older sediments above the inundation zones.



A number of other studies have been undertaken surrounding the study area with some interesting archaeological results. These have included identification of a series of Aboriginal sites (all artefact scatters) associated with lowland alluvial and former estuarine deposits.

Five open artefact scatter sites were recorded to west of the current study area during an archaeological assessment of a proposed development area at Dunmore (Navin 1989). The cluster of recordings was associated with an alluvial plain and wetlands overlying earlier estuarine sand deposits. Dunmore 1 (AHIMS 52-2-0251) was a small open artefact scatter identified on the edge of a ridge crest which formed a major boundary between the Minnamurra River and the wetlands associated with the lower reaches of Rocklow Creek. Five artefacts were identified including a scraper, flakes and a flaked piece of silcrete, fine grained siliceous material, rhyolite and chert. Shell fragments of Sydney cockle and southern mud oyster were also identified. The site had been disturbed by European land use practices including agriculture and road construction.

Dunmore 2 (AHIMS 52-2-0252) was a larger open artefact scatter identified on the eastern margins of the alluvial plain, at the base of a low ridge spur. Over 35 artefacts were identified across an area of approximately 60m x 40m, with exposed sections along a vehicle track containing artefacts at a depth of 30cm. The north western portion of the site was disturbed by road construction, erosion and sand mining but the majority of the site was considered likely to be intact. Artefacts included cores, choppers and retouched flakes, a scraper and numerous flakes and flake fragments. A wide range of raw materials was identified including rhyolite, silcrete, petrified wood, basalt and other igneous materials. Shell fragments of oyster, Sydney cockle and mud whelk were also identified at the site. The variation in artefact types and raw materials was considered reflective of a wide range of site activities.

Open artefact scatter site Dunmore 3 (AHIMS 52-2-0253) was identified less than 50 metres west of Stage 5A on the edge of a low terrace at the base of a north-running ridge spur, approximately 18 metres west of the Dunmore House boundary fence. Based on topography, it was considered likely the terrace represented a former beach line or dune feature during the estuarine phase. Nineteen artefacts were exposed in the spoil of a cattle burial pit across a 10m x 7m area. The exposure faced north and was located on the eastern margin of the alluvial lowland plain. Artefacts included a grey silcrete blade, red silcrete geometric microlith, red silcrete flaked piece, rhyolite blade, flakes of grey and red silcrete and fine grained volcanic flaked pieces, as well as alluvial basalt pebble manuports. It was considered that the site most likely had subsurface deposits in a largely undisturbed context.

Dunmore 4 (AHIMS 52-2-0254) was identified along the northern edge of a low dunal sand body, considered to be an eroded relic of a beach line from the area's estuarine or inlet phase. Twelve artefacts were identified across a recent exposure of the dune slope associated with tree removal works. Associated shell material included fragmented and weathered pieces of Sydney cockle, oyster and mud whelk species. Artefacts included flakes and flaked pieces of rhyolite, chert, silcrete and quartz. Fine grained volcanic pebbles and pebble pieces were also identified. The low density of artefactual material was considered to indicate a mostly subsurface site which had been exposed through disturbance. The site may have been destroyed during construction of the highway upgrade.

Dunmore 5 (AHIMS 52-2-0255) was identified approximately 150m south of Dunmore 4, on the same dunal sand body. A medium density scatter of 40 artefacts and three oyster shell fragments were identified in an exposure of approximately 25 x 25m. The site had been disturbed by construction of a carpark to the south, which had effectively levelled and truncated the dune deposit. Artefacts included large (>50mm) quartz flakes and fractured pebbles, a chalcedony flake, pebble manuports, rhyolite scraper, rhyolite flakes, petrified wood flaked pieces, silcrete and chert flakes and flaked pieces, fine grained siliceous flakes, volcanic flakes and fractured pebbles and a retouched fine grained siliceous flaked piece displaying platform preparation. Given the landform context, it was considered highly likely that intact archaeological subsurface deposit occurred within the dunal body between sites Dunmore 4 and Dunmore 5. Further archaeological investigation was recommended if impact to sites Dunmore 3, 4 and 5 could not be avoided.

Archaeological assessment of Aboriginal sites was completed by Silcox in 1990 for the proposed North Kiama Bypass between Dunmore and Bombo. Sections of the highway (currently Princes Highway A1) are located 100 metres west of the current study area. Survey resulted in re-location of three previously recorded Aboriginal sites (52-5-0251, 52-5-0253 and 52-5-0072), and identification of one new Aboriginal site and areas of archaeological potential. Site KB1 was identified at the east side of the sand mine pondage, directly opposite site 52-5-0072. The site consisted of a sparse scatter of shell fragments and two stone artefacts on the sloping banks of the sand mine pondage on 'Glengowrie'. It was considered that the site would be most likely impacted by the construction zone. KB1 is not registered on AHIMS. Two locations were identified as having potential for archaeological deposits: area KBx was located in the vicinity of site 52-5-0253 within the terrace; and area KBy was identified west of the Minnamurra River on a low ridge south of the pondage on 'Glengowrie'. These two areas were identified on the basis of previous research undertaken by Sullivan (1982) and Navin (1987) indicating that Aboriginal sites were likely to occur on toeslopes and elevated surfaces, such as terraces around the margins of estuaries and floodplains. Due to slope processes or to sediment accumulation from floodplain dynamics, such sites may have been buried, and their existence could be established only through test excavations.

A test excavation on a remnant beach ridge at Dunmore north of the current study area recovered 939 stone artefacts from 19 of the 20 test pits (Navin Officer 2000). All test pits revealed a profile dominated by well-sorted sandy matrix, of probable Aeolian/beach origin. Small quantities of midden shell were recovered from seven pits. Artefact material was predominantly chert and silcrete (over 40%) with quartz, chalcedony and volcanic material comprising much of the rest of the assemblage, with very small amounts of jasper, quartzite, petrified wood, mudstone, limestone and porphyry and sandstone. The site has since been destroyed.

Mary Dallas identified shell midden and artefact site Minnamurra River Shell Midden 1 (MR1) (AHIMS 52-5-0526), located approximately 180 metres east of the current study area. The Aboriginal cultural material was exposed within an area of 20x30 square metres, with the densest shell component over 20x7 square metres. Shell species included mature edible individuals of primarily Hercules Whelk (*Pyrazus ebeninus*), Sydney Rock Oyster (*Saccostrea glomerata*), with lesser amounts of Sydney Cockle (*Anadara trapezia*). No other shell species and no other animal or fish bone was noted. The shells were present in the light grey to brown grey sandy matrix that contained small amount of rounded pumice indicating reworking/redeposition by storm action, therefore the presence of nearby coast or ocean shore in the past. A total of 7 artefacts were recorded within the exposure consisting of quartz, coarse grained silcrete, chert, quartzite and fine grained silceous flakes and a core. It was recommended that archaeological test excavations be undertaken in order to establish full extent of the site.

In 2015 Neville Baker recorded an Aboriginal shell and artefact scatter site, Riverside Drive 1 (AHIMS 52-5-0819), located approximately 100 metres east of the study area (Figure 5). Five stone artefacts consisting of silcrete and quartz flakes and one quartzite hammerstone were identified within a disturbed infrastructure area within the active Minnamurra River tidal flat. Estuarine shell fragments were also identified in association with the artefacts. It was considered that prior to modern development the area would have been subject to active cycles of erosion and deposition which do not favour the preservation of Aboriginal sites. The soil is unconsolidated alluvial sand indicative of a very recent deposition. This suggested a very disturbed nature or imported cultural material.

Overall, previously recorded Aboriginal archaeological sites around the study area demonstrate a variety of site types and geographical locations. AHIMS results and background research indicate that a relationship exists between site type and environmental context, demonstrating the different ways in which Aboriginal people used the landscape and the subsequent archaeological record of these activities.

General assumptions that stem from the results of previous assessments in the estuarine environments point out that various sedimentation processes associated with the infilling of the estuary and the aggrading nature of lower slopes may have resulted in covering of the archaeological sites. Test excavations would most likely be necessary in order to determine whether the subsurface archaeological deposit is present. The most likely Aboriginal site types to occur within the study area and its surroundings are artefact scatters often associated with shell middens. They are likely to occur on the well-drained, remnant landforms bordering the estuary resource zones. They often might be exposed by land use practices, such as mining activities and removal of trees, or geomorphological processes, such as erosion and fluvial activity.

Within lowland areas along watercourses, artefact scatter sites and isolated finds are the most common site type, reflecting the day-to-day economic activities and camping locations of Aboriginal people. Along waterways closer to the coast, the association of shell remains with artefact deposits also indicates the exploitation of freshwater molluscs and possibly, earlier estuarine food resources, such as at sites 52-5-0251 – 52-5-0255. Higher levels of disturbance have also been reported at the lowland sites, in part due to the more concentrated modern land use of these areas for intensive agriculture, mining/quarrying, transport and urban development. Artefact raw materials identified at the sites are available from the diverse underlying regional geologies.

Artefact scatter sites have also been identified along ridgelines and in elevated areas, including at Locking Hill in the vicinity of the study area (52-2-1791) and on the high mid-slopes of Stockyard Mountain to the west (52-5-0310/52-5-0311). Previous archaeological investigations have suggested these elevated areas were used as travel corridors between the different resource zones of the coast and hinterland. Steep slopes and drainage gullies along the ridges are also less likely to have been subject to European land clearance, increasing the likelihood of remnant old growth vegetation and the survival of scarred trees.

Summary

The review of background information revealed there were no known Aboriginal archaeological sites within the study area. There are four AHIMS registered sites within 200 metres of the study area. Three AHIMS sites (52-5-0526, 52-5-0253 and 52-5-0819) identified within tidal flats and saline swampy environments were subject to active, recent cycles of erosion and deposition processes. As such, any cultural material identified is unlikely to have been in its primary context and it is highly unlikely that deep stratified deposits occur in these conditions. One AHIMS site located approximately 100 metres south of the study area within the same beach ridge landform as Stage 5B, revealed stratified cultural deposits of shell and artefacts (52-5-0117). Another Aboriginal archaeological site was recorded within the same environmental conditions approximately 500 meters south-west of the study area (52-5-0159).



The identification of these sites in close proximity to and within the same landforms as the study area indicates that the study area may display archaeological sensitivity to retain Aboriginal archaeological material. The northern portion of the Stage 5A has some moderate sensitivity to contain scattered cultural material that would not be in its primary context. The southern section has a high archaeological sensitivity to contain Aboriginal objects. Stage 5B has a high archaeological sensitivity to contain the provide sensitivity to contain deep stratified cultural deposits relating to Aboriginal activities on this specific landform. Areas of archaeological potential will be dependent on the levels of previous disturbance including natural agents and recent land modifications.

5 Visual Inspection

Visual inspections were carried out as part of the Aboriginal heritage assessment of the study area. The visual inspection included a pedestrian walk and assessment of the entire study area. Visual inspection aimed to assess the integrity of the archaeologically sensitive landforms identified within the area, the nature and extent of previous disturbance, the potential for Aboriginal objects to be present within the area and heritage potential of the trees within the study area.

Assessment of the pipeline and access tracks west and north of Stage 5A between Princes Highway found the area substantially disturbed by previous construction and crossed mostly lower sensitivity tidal flat areas in association with Rocklow Creek and the Minnamurra River. Visibility was on average good with areas of exposure located around the pond and within access tracks. The entire low lying area has been significantly disturbed due to past land use, with no areas of archaeological potential identified.





Plate 3. Looking south from the pond between Princes Plate 4. Conditions around the pond and access tracks. Highway and Riverside Drive.

The inspection continued along the spurline that connects the tidal flat with the ridgeline, east of 'Dunmore House' (Plate 5). South of the ridgeline an extensive alluvial flat (Plate 6) was encountered that contains a few landforms in association with the Minnamurra River estuary. A small drainage line and a pond is located at the bottom of the ridge, flowing east through to the estuary. The Stage 5B area is located within the beach ridge landform that encompasses the pond and the area to its immediate south. The entire area was covered in short grass, with occasional patches of mid to high grass and some scattered tress present within the southern section (Plate 7). Average ground surface visibility varied between excellent in areas stripped of grass and poor within areas of dense vegetation cover. Areas of exposure were visible throughout the inspected area (Plate 8). Some areas of surface disturbance were visible that most likely stem from patchy previous sand extraction, tree removals and cattle trampling. Exposures were visible around the pond and trees, and small eroded areas due to water run off.

Assessment of Stage 5B found the Holocene beach ridge sand/soils and Holocene back barrier flat sand/soil all exhibiting high archaeological potential.

The estuarine environment around the Minnamurra River that established after the stabilisation of sea levels provided a great variety of predictable seasonal resources throughout the year for Aboriginal people. Sand bodies on the estuarine fringes are archaeologically sensitive landforms as they are elevated landforms that represent depositional land systems created by repeated and successive dune accretion, and as such are prone to conserve deep archaeological deposits. They would also have offered attractive camping locations.



Plate 5. Access driveway along the spurline, facing south.



Plate 6. View of the beach ridge from the ridgeline, facing south-east.





Plate 7. Scattered trees present within the southern Plate 8. Soil conditions within study area 5B. section of area 5B.

Along the base of the hill representing the northern edge of Stage 5B was a truncated creek and pond (Plate 9). The exposed sands around the pond and creek exhibited numerous Aboriginal objects and some natural shell. The shell consisted of gastropod adult Mud Whelk (*Pyrazus ebeninus*) (Plate 10) in low dispersed densities and a natural size range. The Aboriginal objects consisted of flakes made from silcrete, jasper, petrified wood and chert; pebble cores of silcrete and quartzite; blades of fine silcrete and jasper (Plates 11 and 12). The site was recorded as Aboriginal artefact scatter DLS Boral AFT 1 (AHIMS 52-5-0907). It was determined that further Aboriginal cultural material and subsurface stratified archaeological deposits were likely present within the entire beach ridge landform in the Stage 5B area.





Plate 9. Conditions and exposures within the pond, facing south.

Plate 10. Non artefactual Mud Whelk species located within the exposed banks of the pond.







Plate 11. Pebble cores and flakes made of silcrete, jasper and petrified wood, located within the pond exposures

Plate 12. Petrified wood, jasper, silcrete and chert flakes and blades, located within the pond exposures in Stage 5B.

Further inspection was carried out within the southern section of the Stage 5B area within the entire beach ridge landform. The southern extent of this portion of the study area is covered with scattered trees. The surface was mainly covered in short to high grass, with scattered trees that included mainly regrowth, with occasional mature trees (Plate 13). The south-western section revealed denser grass cover than the northern part, with only occasional areas of exposure (Plate 14). Sandy conditions were noted with some shallow surface disturbance due to cattle trampling, tree removal activities, installation of fences and pedestrian and light vehicle traffic. Trees were carefully inspected for possible cultural modifications. No Aboriginal scarred trees were identified.

Considering the identification of artefacts within eroded banks of the pond, beach ridge sandy soils and low levels of previous disturbance, the section of the Stage 5B study area to the south was considered to have high archaeological potential for further Aboriginal cultural material to be present (Plate 16). Aboriginal stakeholders also noted that these landforms were sensitive for Aboriginal burials to occur.



Plate 13. Southern section of Stage 5B area, within beach ridge, facing north-east.



Plate 14. South-western section of Stage 5B area, general conditions, facing north.

A small depression located along the eastern boundary of the Stage 5B area indicates the location of the tidal flat associated with the Minnamurra River estuary. Vegetation cover in this section was evidently thicker and greener which stems from swampy, wet conditions. A small pond in this landform contained water and its banks were covered in vegetation. No mature native trees were observed that could have contained cultural scars. Ground surface visibility was moderate with occasional areas of exposure due to water runoff and cattle trampling. No evident disturbance was noted, with the surface revealing sandy conditions.

The tidal flat landform is low-lying and would not have been a preferred long-term occupation area in the past. In addition, tidal flats are subject to geomorphologically active cycles of erosion and deposition which do not favour the preservation of Aboriginal sites. Results of the AHIMS review revealed that Aboriginal sites can however occur in these environmental settings. Any archaeological material located would be in a disturbed context with no stratified occupational deposits, and would represent dispersed cultural material. No Aboriginal cultural material was observed during the site inspection and no areas of potential subsurface archaeological deposits were identified.





Plate 15. Tidal flat landform and small pond located to the east of the beach ridge in Stage 5B area, facing north-west.

Plate 16. Looking south-west from the tidal flat across the elevated beach ridge within Stage 5B area.

Site inspection then continued within the proposed Stage 5A area, located to the immediate west of Riverside Drive. The northern section of the study area lies within a tidal flat located between Riverside Drive and the slopes associated with the ridgeline. It grades into the backbarrier flat (sand body) to the south, which was clearly marked by distinct vegetation cover and a slightly raised ground level (Plate 18).

The tidal flat landform was covered in thick but short pasture grass (Plate 17). Ground surface visibility was very low with some exposure areas limited to the informal vehicle track located along the bottom of the slopes. Very swampy, wet conditions were also observed in this section of the study area, with a sandy loam soil matrix. The tidal flat landform is an active land system prone to repeated erosion and deposition events, and as such is unlikely to preserve archaeological material *in situ*. Any cultural material located within this landform would not be in its primary context. No Aboriginal cultural material was located during the site inspection within the northern section of 5A, in the tidal flat landform. Archaeological potential for deep stratified occupational deposits to be present in this landform was considered to be low.





Plate 17. Tidal flat, Stage 5A study area, looking from slopes, facing north-east.

Plate 18. Tidal flat and backbarrier flat within Stage 5B study area, facing south-east.

The eastern extension of the Stage 5A study area (designated as an overburden stockpile area) is located within the steep lower slopes of the ridgeline that extends between Stages 5A and 5B. Slopes revealed very shallow soils consisting of silty loams and exposed latite bedrock (Plates 19-20). Significant levels of disturbance were also evident in this section of the area, due to the installation of a well for grazing purposes. Exposures were visible in these disturbed areas and also due to water runoff and stock trampling. Steep slopes would not be conducive for human occupation and shallow soils would not preserve any subsurface archaeological deposits. The slope landform was considered to have very low archaeological potential for Aboriginal cultural material to be present.







Plate 19. Steep slopes of the ridgeline and exposed latite bedrock, facing south.

Plate 20. Shallow soil conditions on steep slope landform, western part of Stage 5B area.

An extensive sand body was encountered during the site inspection within the southern section of the Stage 5A area, to the immediate south of the tidal flat. This area corresponds to a coastal barrier backbarrier flat. It was a slightly elevated landform with fine sandy conditions (Plate 21). The sand body extended from Riverside Drive to the east to the slopes of the ridgeline to the west and south. Ground surface visibility was moderate with some exposures observed due to disturbed areas and cattle trampling. Disturbance was visible mainly within the south-eastern portion, likely due to tree removal. A decayed wood dump was also noted in this area (Plate 22).

The back barrier flat landform represents a remnant landform formed by storm washover deposition during the initial stages of barrier evolution. It is generally a relict feature that is unaffected by contemporary geomorphological processes. As such it may retain deep stratified deposits. Any cultural material located within these deposits would be well preserved and most likely in primary context. The elevated nature of the sand body would make it a preferable location for repeated occupation events by Aboriginal people in the past, considering proximity to resources. Recent land use practices would impact on sandy surface soils, but the majority of the sandy deposit would be intact. No surface Aboriginal cultural material was identified during the site inspection. This southern section of Stage 5A was considered to have high archaeological potential to contain deep stratified occupation deposits.



Plate 21. Sand body - back barrier flat located within the southern section of the Stage 5A study area, facing north; general conditions.

Plate 22. Disturbances within the back barrier flat, facing west.



Summary

Previous archaeological assessments and the distribution of recorded archaeological sites across the landscape indicate a strong relationship between site type and geological, topographic and geographic factors. Additionally, environmental factors contribute directly to survivability of archaeological sites within the landscape. Within the study area, elevated sand bodies above the former estuarine environments are the most archaeologically sensitive landform. Aboriginal archaeological sites associated with these landscape features would have the potential to contribute significantly to our understanding of Aboriginal landscape use of these unique environmental contexts.

Visual inspection confirmed the potential for Aboriginal objects based on: stability of deposit, intact soil profiles, topographically favourable features related to elevated level ground and vistas, proximity to known archaeological sites and presence of surface Aboriginal objects within the eroded areas. Ground surface visibility within the study area varied from high to low with some exposures limited within tracks, around trees and within the banks of a pond in the Stage 5B area. Identified artefacts were recorded as DLS Boral AFT 1, an artefact scatter site (Figure 6) located within the beach ridge landform. Archaeological potential for subsurface archaeological deposits was assessed as high.

The Stage 5A area revealed dense grass cover and a lack of exposure areas. No Aboriginal objects were identified during the field inspection. Considering the environmental setting, low degree of previous disturbance, intact sandy soil conditions and previously recorded sites within similar conditions, it was considered that the southern portion of the Stage 5A area within the back barrier flat contains high archaeological potential for subsurface Aboriginal objects to be present. The tidal flat located in the northern section of the Stage 5A area was considered to have moderate potential to contain cultural material that would be in a secondary (disturbed geomorphic) context.

Further detailed investigation (subsurface testing) was therefore recommended to determine the nature, extent and significance of any archaeological sites and potential archaeological deposits within the study area.






Figure 6. Visual inspection results, landforms and recorded Aboriginal site, DLS Boral AFT 1.

6 Archaeological Test Excavation

Archaeological test excavation was carried out by KNC and registered Aboriginal stakeholders over five days between in November 2018, in accordance with the OEH *Code of Practice for Archaeological Investigation of Aboriginal Objects in New South Wales*. Aims, methodology and results of the test excavation program are presented below.

6.1 Aims

The purpose of the test excavation program was to collect information about the nature, extent and significance of the Aboriginal site DLS Boral AFT 1 recorded during the site inspection within the Stage 5B area; and to determine whether subsurface Aboriginal objects occurred in the Stage 5A area. Test areas at Stage 5B and the southern portion of Stage 5A were considered to have high archaeological potential for subsurface Aboriginal objects to be present. Therefore the primary aim of the test program was to confirm the presence, nature and extent of potential archaeological deposits within the 5A and 5B areas. Additional goals of the test excavation were: to assess the boundary of the site areas in relation to the proposed development, to investigate the relationship between specific topographic features and archaeological deposits.

Test excavation results would inform the archaeological assessment, including development of appropriate management and mitigation measures. The testing area was restricted to ensure an adequate sample without having significant impact on the archaeological value of any identified sites.



Plate 23. View to south-east along baseline transect from TS4, Stage 5B study area; natural pond at left.

6.2 Methodology

The field methodology was developed and carried out in accordance with Requirement 16a of the OEH *Code of Practice for Archaeological Investigation of Aboriginal Objects in New South Wales*. The study area was divided into two excavation areas based on the proposed extraction stages. The back barrier in the Stage 5A area and the beach ridge in 5B were considered to have high archaeological potential; the tidal flat in 5A was considered to have moderate archaeological potential. The main aim of testing the tidal flat was to determine soil conditions in order to assess if they would be prone to conserving subsurface archaeological deposits. The proposed test areas were differentiated from the surrounding landscape by the presence of unique Quaternary depositional systems (coastal barrier units) and spatially defined by the presence of flanking estuarine and alluvial landforms. Test transects were placed across the areas to confirm the presence/absence, location and extent of archaeological deposits.

Test transects were placed on a systematic grid at 20m intervals and test excavation units placed at 10-40m intervals along these transects, based on the encountered surface disturbance and/or the extent of the study area. Easting/northing coordinates were taken at the north west corner of each excavation unit. The test units at each area were then given an arbitrary identifying number (e.g. TS 1, TS 2, TS 3). Test excavation units measured 50cm x 50cm. At five locations, additional test excavation units were placed next to the already excavated units in order to test the depth of encountered archaeological deposit or its nature. These additional adjoining units were given an additional reference letter (e.g.1B, 1C). A total of 45 test squares (11.25m²) were excavated: 17 at Stage 5A and 28 at Stage 5B.



In accordance with the *Code of Practice*, the first excavation unit of each investigation area (each landform) was excavated in 5cm spits onto a culturally sterile deposit to determine the nature of the subsurface deposit and the presence or absence of artefactual material. The majority of test excavation squares were limited to 1m depth. Two excavation units were excavated to 1.2m in order to determine if the same soil matrix with archaeological deposit was present. Based on the results of the first excavation square, subsequent squares in each area were excavated in 10cm spits until culturally sterile deposit or 1m depth was reached.

Where artefacts were identified during excavation (i.e. *in situ*), measurements were taken of the artefact's position and depth in the excavation unit, as well as its relation to any other features such as charcoal, baked clay, tree roots or other evidence of disturbance. When possible cultural features were encountered, these was excavated and sieved as a separate unit.

All excavation was undertaken using hand tools. All excavated material was placed in buckets and transported to the adjacent sieving area and dry sieved using a combination of nested 5 millimetre and 2.5 millimetre wire mesh screens. Artefacts retrieved from the excavation were retained for further investigation.

The information from each test excavation square including a detailed deposit description, any excavated features and unit depths were recorded onto standardised excavation forms. At the end of the excavation program, all squares were photographed and soil section profiles were drawn. As per OEH requirements, the test excavation ceased when enough information had been recovered to adequately characterise the archaeological deposits or Aboriginal objects present with regard to their nature and significance.




Plate 24. Hand excavated 50cm x 50cm test square, TS20, Stage 5B study area, facing south.

Excavation Director: Dr Matthew Kelleher Archaeologist/Site Supervisor: Ana Jakovljevic KNC Archaeologists: Owen Barrett, Carly Todhunter, Waleed Al Mendin Aboriginal Stakeholder Representatives: Steven Henry (ILALC), James Davis, Kayla Williamson (WPGEC), Mark Dutton (Goobah) and Leanne Tungai.



6.3 Results

6.3.1 Stage 5A area

Test excavation at Stage 5A aimed to determine if subsurface archaeological deposits existed within two landforms: the back barrier flat landform located within the southern section of Stage 5A that was assessed as having high archaeological potential; and the tidal flat landform located within the northern section of Stage 5A that was assessed as having moderate archaeological potential. The entire study area has gone through varied levels of previous disturbance including vegetation clearance and stump removal. Localised areas of tree dumping were present within the southernmost part of the study area, but overall the integrity of this part of the study area was good. Observation of the soils suggested a stable profile.

A total of 17 test squares were excavated across 5 transects. Transects were placed in a north-west – south-east, and north-east – south-west direction, with test squares on a 20m interval grid (Figure 7).

The northern section of the study area was located within the low lying tidal flat, with dense vegetation cover and very wet surface conditions. A total of 2 test squares were excavated along a north-east – south-west oriented transect, spaced 20 metres apart (TS 15 and TS 16).

Within the central part of the study area, a slightly elevated landform with loamy surface conditions was subject to test excavation. Three test squares were excavated along a north-west – south-east transect, 20 metres apart (TS 1, TS 2 and TS 3).

The back barrier flat landform comprised an elevated sand body within the southern section of the study area. The area had sparse vegetation cover with one section at the southernmost part observed to have gone through previous disturbance. A total of 12 test squares were excavated along three transects: two transects along a north-west – south-east orientation (TS 4 - 11, including TS 6A and 6B), and one transect along a north-east – south-west orientation (TS 12 - 14), in 20m intervals.



Plate 25. Tidal flat, facing west, showing TS 15 across the landform towards the slopes.

Plate 26. Facing south-east, showing TS 5 across the back barrier sand body and TS 6A and 6B in the distance.

6.3.1.1 Soils, stratigraphy and disturbance

Sediment profiles varied across the two different landforms. One area of significant disturbance was identified stretching throughout the central section of the study area. Representative sections of test squares across the study area are presented and described below according to three different soil profiles.

The elevated landform area identified within the central section of the study area revealed a significant amount of fill material throughout (TS 1-3) Units were excavated to a maximum depth of 35 centimetres. No natural soils were encountered. It was considered that the entire elevated area had a significant amount of fill material deposited (Plate 27).

The southern section of the study area within the back barrier sand body revealed a deep sandy soil matrix to the base of test squares. Some fill material was encountered from 5 to 25 centimetres depth in TS 4, 11, 12, 13 and 14. A pipeline was also encountered in TS 10 at 60 cm depth and the pit was abandoned. Fine root systems were present throughout the area, with charcoal flecks and burnt tree roots encountered in the majority of excavated units, limited to the first 60 cm depth. Soil profiles were relatively uniform throughout the landform.



Deep sandy deposits consisted of between 30 and 60 centimetres of grey sand with frequent charcoal flecks and fragments, overlying up to 40 centimetres of light greyish brown and light brown sand, and slightly darker, orange brown sand from on average 80 centimetres depth to base levels of up to 1.2 metres depth (Plate 28).

The tidal flat located within the northern low lying section of the study area revealed very wet, swampy conditions. No areas of significant ground disturbance were identified. Fine root systems were present within the first 10 centimetres. Soils consisted of up to 10 centimetres of dark grey, almost black sand with gravel and ironstone inclusions, overlying between 10 and 20 centimetres of moist brown grey sand, and up to 30 centimetres of light brown sand. The base of excavation encountered the water table at an average of 70 centimetres depth (Plate 29). The tidal flat represented an area of relatively rapid (humic) soil cycling and damp-wet soils generally less suitable for intensive occupation by past Aboriginal people.



Plate 27. Stage 5A - TS3 south section



Plate 28. Stage 5A, back barrier landform, TS6B east section

- 0-25cm: Dark grey-brown loam, humic. Abundant rock inclusions to <15cm 20% including road base, bricks, sandstone and ironstone. Scattered lumps of clay. Diffuse boundary to:
- II. 25cm-35cm: Dark orange brown clayey loam. Mixed lumps of clay, ironstone pieces and scattered rocks and gravel.
- III. At 35cm: Orange and grey clay clumps, mixed with rocks and gravels.

- I. 0-8cm: Medium grey sand, humic layer. Frequent fine root systems throughout. Diffuse boundary to:
- II. 8-36cm: Medium grey sand. Charcoal fragments between 30 and 36cm. Diffuse boundary to:
- III. 36-63cm: Light greyish brown fine sand. Larger charcoal fragments between 45 and 60 cm mainly within the southern section. Diffuse boundary to:
- IV. 63-78cm: Light orangy brown sand. Some mottled light brown sand mottled. Diffuse boundary to:
- V. 78cm-base: Orangy brown sand, moist. Continuing to the base
- VI. Base: Orangy brown sand.





Plate 29. Stage 5A, tidal flat landform, TS15, north section

- I. 0-9cm: Dark grey sand, humic layer. Frequent fine root systems throughout. Diffuse boundary to:
- II. 9-30cm: Dark grey, almost black sand, moist.
 Ironstone and gravel inclusions, approximately
 10%. Possible acid sulphate contamination due
 to the strong odour. Clear boundary to:
- III.30-48cm: Brown grey sand, moist. Diffuse
boundary to:
- IV. 48cm-base: Light brown sand, high moisture content. Clear boundary to:
 - Base: Light brown sand. Water table encountered.

6.3.1.2 Artefact Distribution

Three artefacts were recovered from the three units excavated within the disturbed area (TS 1-3). They consisted of two quartz angular fragments, and one quartz retouched flake. Since they were identified within disturbed fill material, they are not located within their primary context. It is possible that they were imported to the area or they represent dispersed cultural material from the vicinity. These three artefacts were recorded as an Aboriginal site representing isolated, disturbed cultural material: DLS Boral AFT 3 (AHIMS 52-5-0909).

V.

A more significant deposit was identified across the back barrier landform test area (TS 4 - 14). A total of 461 artefacts were recovered from the 12 test excavation units within this back barrier landform. The site was recorded as artefact scatter DLS Boral AFT 2 (AHIMS 52-5-0908). Artefact densities for these test squares are shown in Table 3 and Figure 7.

Table 3. Test excavation artefact densities at site DLS Boral AFT 2

Test square	Total artefacts
4	9
5	47
6A	24
6B	39
7	89
8	66
9	29
10	2
11	61
12	36
13	47
14	12

Artefact distribution within DLS Boral AFT 2 was characterised by low to high density deposits. Test square 10 contained the lowest number of artefacts. This is due to the fact that the test unit was abandoned at 50 cm depth due to identified disturbance, so results from this test square are not relevant for the discussion of overall results. Apart from TS 10, test squares 9 and 14 contained the lowest number of artefacts. These excavation units were located within the margins of the back barrier sand body, i.e. at the margins of the site extent. The area of the highest artefact density was located within the middle section of the sand body, with no areas of identified disturbance. Test square 7 had the highest (extrapolated) mean artefact density with $356/m^2$, followed by test square 8 ($264/m^2$) and TS 11 ($244/m^2$).

Extrapolated to square metres, the site area displayed a mean artefact density of 115.3/m².



Test square	4	5	6A	6B	7	8	9	10	11	12	13	14	Total
0-10	4	1	1			1				1	10		18
10-20		2				1				1	3		7
20-30		3	1			2					1	2	9
30-40		1		2	2		5		1			9	20
40-50			2	1	5	2	5		3		1		19
50-60		5	7	8	9	2	13	2	17	11	6		80
60-70	1	17	12	23	66	16	3		34	23	25		220
70-80	2	16	1	5		32	3		3		1	1	64
80-90	1	2			6	10			2				21
90-100	1				1				1				3
	9	47	24	39	89	66	29	2	61	36	47	12	461

Table 4. Spit depths and artefact count.

The majority of artefacts were found from 60 to 70 cm depth (n=220, 48%), followed by between 50 and 60cm (n=81, 17%) and between 70 and 80cm (n=64, 13%) (Table 4). All of these artefacts were recovered from light orange-brown sand deposits. These results indicate that the majority of the cultural material is preserved within the subsoil sandy horizon that represents a relatively stable and intact soil. Although artefact numbers decrease from 80 centimetres depth, they were still recovered from as deep as 1 metre. Considering that the same sandy matrix that contains artefacts appeared to continue below 1 metre, it is still possible that cultural material could occur in the area within deeper sandy deposits.

A total of 14 artefacts were recovered from the top 17 centimetres in both TS4 and TS13, which contained fill material. Although it is not possible to determine their primary context, these artefacts were included in the assemblage as they were found within the perimeter of the site. Raw material and artefact types indicate that it is possible they represent dispersed/disturbed cultural material from the area that was mixed with the introduced fill.





Figure 7. Stage 5A study area test square locations and artefact density.

Kelleher Nightingale Consulting Pty Ltd

6.3.1.3 Lithics

The dominant raw material was quartz (n=225, 48.8%), followed by silcrete (n=84, 18%), fine grained siliceous (FGS) (n=59, 12.7%) and chert (n=47, 10%). A range of other raw material was recorded including chalcedony, medium grained siliceous, petrified wood, tuff, and one each of mudstone, sandstone and quartzite (Table 5). Artefacts were generally small, with the majority between 5 and 14 millimetres (Table 5). The least number of artefacts were between 35 and 59 millimetres. The largest artefact was between 100 and 104 millimetres, comprising a hammerstone made from MGS recovered *in situ* from 65-69 centimetres depth in TS 13 (Plate 30). Artefacts measuring between 24 and 29 millimetres had the greatest variety of raw material present.

The majority of artefacts were flakes (n=200, 43.3%) and non-diagnostic flaked angular fragments (n=159, 34%) (Table 6). Other artefact types had much lesser representation, including proximal, distal and split flake fragments (average 5% each). Cores were not abundant in the assemblage (n=11, 2.3%), but were represented across a variety of raw materials, with the majority made of quartz and silcrete, and one each of chalcedony, chert, FGS and jasper. A jasper core was identified in TS 9 from depths between 50 and 60 centimetres; it was previously a flake, but recycled to be used as a core with one clear negative scar. The same test square contained four more jasper artefacts with one retouched angular fragment at 30-40cm depth (Plate 30) and one angular fragment at 70 centimetres depth. The recycling indicates that this material was likely highly valued in the area. Two bipolar quartz cores were recovered from TS 12, one from 10 centimetres and one from 50-60 centimetres.

No formal tools were recorded within DLS Boral AFT 2, but a total of 20 retouched/backed artefacts were identified, both with and without usewear. The majority of backed artefacts were made of white and grey white crystalline quartz, with one exhibiting characteristics of a chisel point, recovered from TS 11, spit 7 (Plate 32). Three retouched crystalline quartz backed artefacts were recovered from TS 7, and two from TS 6B located 20 metres to the northwest. This indicates that a particular activity was most likely occurring in this area. TS 9 contained three retouched artefacts made of jasper, chalcedony and silcrete (Plates 31 and 33). These were located at depths of 30-60 centimetres, from a light grey sandy layer. It is unclear if this preference of raw material for backed artefacts indicates events from two different occupation deposits, stemming from different episodes of site use. Further investigations would be required in order to answer this question.



Plate 30. Hammerstone made from MGS recovered *in situ* from TS 13 from 65-69 centimetres depth (ID 430).



Plate 31. Jasper core and flakes (ID 297-299), TS 9, 50-60cm depth, jasper retouched angular fragment (ID 281), 30-40cm depth.







Plate 32. Crystalline quartz backed artefacts (ID 118 - TS 6B, ID 150, 151 and 155 TS 7, spit 7.

Plate 33. Variety of raw material in TS 9 (ID 297,298, 293) including silcrete retouched flake (ID 292) and jasper (ID 306).

Although low in artefact count, TS 9 revealed the greatest variety of raw material types. A general trend was observed that chalcedony, jasper, chert and FGS were more frequent in upper layers, with quartz prevailing within deeper light yellow sandy soils, followed by a small representation of silcrete and chert (Plate 33).

It was noted that the majority of artefacts do not show traces of reworking or other damage from movement or disturbance, indicating the stable soil matrix forms their primary archaeological context.



Total	222	1	15	47	59	7	7	1	14	1	1	84	2	461
Τς	2			v	-1				.1			3		4
100- 104mm						1								I
55-59mm	1													τ
50-54mm						1								τ
45-49mm	1													1
35-39mm						1						1		2
30-34mm	1									_		£	_	4
25-29mm	4			5	2	1	1		1	1	1	£	2	61
20-24mm	11			5	1				1			6		25
15-19mm	15	1	2	7	8		1		3			9		43
10-14mm	63		7	17	18	2		1	4			27		139
5-9mm	97		9	14	25	1	5		5			34		187
0-4mm	29			3	5							1		38
Raw Material	Quartz	Quartzite	Chalcedony	Chert	FGS	MGS	P. Wood	Igneous	Jasper	Mudstone	Sandstone	Silcrete	Tuff	Total

at DIS Boral AET 2 material distributio hle 5 Artefart i ĥ

at DI S Boral AET 2 Table 6 Beduction

lable b. Keduction ty	I able b. Reduction types at ULS Boral AFI 2	7						
Raw Material	Flake	Proximal Fragment	Distal Fragment	Split Fragment	Medial Fragment	Angular Fragment	Core	Hammerstone
Quartz	106	2	6	12	2	84	4	
Quartzite	1							
Chalcedony	11		1			2	1	
Chert	25	5	9	4		8	1	
FGS	14	9	5	5	1	27	1	
MGS	2					4		1
P. Wood	4	1				2		
Igneous	1							
Jasper	5		3			5	1	
Mudstone	1							
Sandstone						1		
Silcrete	28	10	8	7	7	21	3	
Tuff	1					1		
Total	199	25	32	28	10	155	11	1

Cortex was relatively infrequent on artefacts recovered from DLS Boral AFT 2. Cortex was recorded on 47 artefacts, representing 10.2% of the site assemblage (Table 7). Artefacts made of petrified wood, igneous, jasper, mudstone and sandstone did not display any cortex. Quartz was the raw material that displayed the highest frequency of cortex (n=31, 65.9% of all cortical artefacts). Surfaces of 1-30% cortex were recorded on 41 artefacts (87% of cortical artefacts), with only 2 quartz cores having >70% cortex. The results indicate that while some knapping did occur in the area, primary and secondary reduction of cores was not a focus of activity at the site.

	0%	1-30%	31-69%	>70%	Total
Quartz	191	27	2	2	222
Quartzite	1				1
Chalcedony	14		1		15
Chert	44	3			47
FGS	56	3			59
MGS	5		2		7
Petrified Wood	7				7
Igneous	1				1
Jasper	14				14
Mudstone	1				1
Sandstone	1				1
Silcrete	78	6			84
Tuff	1	1			2
Total	414	40	5	2	461

Table 7. Amount of cortex on artefacts from DLS Boral AFT 2, in relation to raw material and artefact type.

	0%	1-30%	31-69%	>70%	Total
Core	7	1	1	2	11
Flake	181	14	4		199
Proximal Fragment	24	1			25
Distal Fragment	29	3			32
Split Flake	26	2			28
Medial Fragment	10				10
Angular Fragment	136	19			155
Hammerstone	1				1
Total	414	40	5	2	461

6.3.2 Stage 5B area

Test excavations within the Stage 5B area aimed to determine if further subsurface archaeological deposits occurred in association with the recorded Aboriginal cultural material within the exposed banks of the pond, recorded as artefact scatter site DLS Boral AFT 1. The site was recorded during the site inspection, when it was considered that the entire beach ridge landform south of the pond had high archaeological potential for subsurface Aboriginal objects to occur. Stage 5B is located in its entirety within the beach ridge landform. Beach ridge landforms represent successive periods of beach and frontal dune accretion during prolonged geological time scales; therefore it most likely contains deep stratified intact sandy deposits. It is also located adjacent to the estuarine environments that would have contained a wide variety of resources extensively utilised by Aboriginal people in the past. Sandy, elevated and well-drained landforms are known to be suitable for long-term and /or repeated human occupation.

A total of 28 test units along a series of east-west, and north-west – south-east transects were excavated at 20-40 metre intervals across the study area (Figure 8). The entire study area has gone through varied levels of disturbance including vegetation clearance, stump removal and agricultural activity. Overall, the study area was flat with some undulating sections, possibly due to minor sand extraction activities within the southernmost parts. On average the integrity of the study area was good. Observation of the soils suggested a stable profile.

Fine root systems were present throughout the area, mainly within first 20 centimetres. Larger root channels were occasionally found within topsoil (e.g. TS 15) but also within the lower depths of 80-100cm (TS 2A and 2B). Small fragmented pieces of charcoal were dispersed throughout the deposit in the majority of test squares; they were in most cases associated with burnt tree roots, and were limited to upper soil horizons. Some artefacts that were observed to have been affected by heat were most likely affected by these post-depositional impacts.

Naturally occurring colluvial latite pebbles were evident in TS 1A and 1B at 50-58 centimetres depth. No cultural material was recovered in association with these rocks. Other areas did not contain latite gravel and rocks. Some fill material was encountered in TS 13 to 32 centimetres depth above natural grey sand.

One charcoal feature was identified in TS 10C between 44 and 48 cm depth. It consisted of a circular cluster of charcoal fragments and two *in situ* artefacts located outside of this feature. The feature was separately excavated and sieved, with a total of 8 artefacts recovered including one large possible manuport. No other cultural material or features were noted.

One burning event was evident in TS 19 but no cultural material could be associated with it. It was considered to be a remnant of a natural event.

The soil profiles revealed deep fine sandy sediments, with few inclusions present (Plate 30, 31 and 33). Grey organic sand was present up to 40cm depth occasionally mottled with underlying pale light orange grey sand occurring to an average of 70cm. Slightly darker orange brown sand was encountered at the base of test squares at 1 metre. At the southern section of the study area two test squares (TS 21 and 22) revealed somewhat different soil profiles with deposits having more consistent brown sands that extended from 40cm to the base level of 1 metre.





Plate 34. DLS Boral AFT 1 – TS1A, west section



Plate 35. DLS Boral AFT 1 – TS 10C, south section



Plate 36. DLS Boral AFT 1 – TS10C charcoal feature, facing south.

- I. 0-12cm: Pale grey sand, humic. Frequent fine root systems.
- II. 12-31cm: Pale grey sand. Infrequent charcoal fragments inclusions. Diffuse boundary to:
- III. 31-58cm: Pale brownish grey sand. Small latite gravel and large colluvial latite cobbles from 50-58cm. Some charcoal flecks scattered. Diffuse boundary to:
- IV. 58-70cm: Dark brownish red sand becoming dark orange brown towards the base. Increasing moisture
- V. Base: Dark orange brown sand .

- I. 0-12cm: Reddish grey weak sand, humic, organic. Frequent fine root systems throughout. Diffuse boundary to:
- II. 12-47cm: Grey sand mottled with some pale orange sand. Bioturbated. Charcoal flecks and fragments scattered from 44 to 49cm. Diffuse boundary to:
- III.47cm-base: Orange brown sand. Becoming
slightly darker towards the base.
- IV. Base: Dark orange brown sand.

١.

Charcoal feature at 44cm depth and two artefacts *in situ*



Plate 37. DLS Boral AFT 1 - TS 21, north section

- 0-10cm: Light grey loamy sand, humic. Frequent fine root systems throughout. Diffuse boundary to:
- II. 10-25cm: Light grey sand. Charcoal flecks scattered. Some roots inclusions. Clear boundary to:
- III. 25-35cm: Light pinkish grey soft. Some occasional flecks scattered. Diffuse boundary to:
- IV. 35-base: Yellowish brown sand, moist.
- V. Base: Yellowish brown sand.

6.3.3 Artefact Distribution

A total of 828 artefacts were recovered from 28 test excavation units at Stage 5B within the beach ridge landform and site DLS Boral AFT 1 (AHIMS 52-5-0907). Artefact densities for test squares are shown in Table 8 and Figure 8.

١.

Test Square	Total	Test Square	Total	Test Square	Total
1A	44	9A	10	17	78
1B	40	9C	6	18	19
2A	11	10A	22	19	31
2B	26	10C	40	20	43
3	1	11	2	21	75
4	2	12	1	22	46
5	33	13	9	23	103
6	5	14	3	24	10
7	70	15	5		
8	23	16	70		

Table 8. Test excavation artefact densities at site DLS Boral AFT 1

Artefact distribution within DLS Boral AFT 1 site was characterised by variable density deposit (Table 8). All test squares exhibited Aboriginal objects. Two test squares had one artefact each (TS 3 and TS 12), and two test squares had two artefacts each (TS 4 and TS 11). High and low density areas varied across the tested landform. This variation in artefact density was not associated with previous ground disturbance, however a pattern of occupation could not be established at this time. It is possible that the high density areas represent separate occupational deposits from possibly different times during the year, or they represent repeated occupation throughout prolonged periods of time. Low artefact densities were recorded within the central-east section along the margins of the estuary and within a small patch to the south-west of the pond (Figure 8). Areas of the highest artefact density were located from about 20 metres south of the pond within the middle section of the beach ridge. Test square 23 had the highest (extrapolated) mean artefact density with $412/m^2$, followed by TS 17 ($312/m^2$) and TS 21 ($300/m^2$). TS 16, located 20 metres northwest of TS 21, also revealed a high (extrapolated) mean artefact density ($280/m^2$). TS 7 with the same number of artefacts as TS 16 possibly represents a separate occupation or targeted activity event, as the surrounding test pits revealed much lesser artefact density. Extrapolated to square metres, the test area displayed a mean artefact density of $118.3/m^2$.

Artefact densities for the test squares are shown in Table 9 and Figure 8.



	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	Total
1A				7	9	28					44
1B			9	1	17	8	5				40
2A		1	7	1		1			1		11
2B			3	14	9						26
3				1							1
4			1			1					2
5 6		4	2	12	15						33
6					4	1					5
7				2	5			63			70
8			1	1	18	1	2				23
9A		1	1		3		4	1			10
9C					2	1	2	1			6
10A	2	6	4	1	1	1	7				22
10C	7	10		1	18		3	1			40
11	2										2
12	1										1
13			1	1	5	2					9
14		1		2							3
15		1	3		1						5
16		1		3	20	43	3				70
17		4	2	10	9	17	32	4			78
18		1		4	1	6	4	3			19
19	7	10	6		5				3		31
20	9	1	2	3	11	15	2				43
21			2	5	20	8	34	4	2		75
22			23	5	8	7	2	1			46
23	1	1	6	5	8	27	33	17	4	1	103
24			1		9						10
Total	29	42	74	79	198	167	133	95	10	1	828

Table 9. Spit depths and artefact count

The majority of artefacts were found from 40 to 70 cm depth (n=499, 60%), followed by between 70 and 80cm (n=95, 11%) and between 30 and 40cm (n=79, 9.5%) (Table 9). The highest number of artefacts was recorded within the orange brown sand deposits. The topsoil grey sands (to an average of 40 centimetres) contained 224 artefacts (27%), and the darker orange brown sand deposits encountered at an average of 80 centimetres contained less than 2% of the entire assemblage. These results indicate that the majority of the cultural material is preserved within the subsoil sandy horizon that represents intact and stable soils. Although artefact numbers decrease from 80 centimetres depth, they are still recovered from as deep as 1 metre. Considering that the same sandy matrix that contains artefacts is continuing to levels deeper than 1 metre, it is still possible that some cultural material could occur in the area within these deeper sandy deposits.

One artefact was recovered from the top 13 centimetres within the fill material in TS 13, and it was included in this assemblage, although its provenance could not be established.

The charcoal feature recorded between 44 and 48cm depth within TS 10C (Plate 32) was less than 10 centimetres in diameter, consisting of charcoal flecks with two *in situ* artefacts recorded outside of this feature, and an additional five artefacts recovered from the sieves with one possible manuport. Considering the small size of the feature and its location within topsoil layers it is most likely that it does not represent a cultural feature.





Figure 8. Stage 5B test square locations and artefact density in DLS Boral AFT 1.

6.3.4 Lithics

The dominant raw material for Stage 5B artefacts was silcrete (n=202, 24%), followed closely by a similar representation of quartz (n=120, 14%), jasper (n=115, 13.8%) and chert (n=99, 12%). A range of other raw material was recorded including unidentified fine and medium grained siliceous (FGS and MGS), chalcedony and petrified wood, agate, quartzite and coarse silcrete, and a very small percentage (less than 1%) of sandstone and igneous raw material was included in the assemblage (Table 12).

Artefacts were generally small, with the majority between 5 and 9 millimetres (Table 6). Artefacts greater than 29mm were scarce and comprised 4% of the entire assemblage. The largest artefact was an angular fragment of MGS between 100 and 104 millimetres recovered from TS 22 from between 20 to 30 centimetres depth. Artefacts measuring between 5 and 24 millimetres had the greatest variety of raw material present.

The majority of artefacts were flake debitage (Table 7). Non-diagnostic flaked angular fragments were the most common artefact type overall, accounting for 53.7% of the assemblage (n=223). Complete flakes were represented by 27% (n=223), with flake fragments (proximal, medial, distal, and split) making up 15.5% of the assemblage. Cores were not abundant in the assemblage (n=28, 3.3%), with chert being the most preferable raw material (n=11, 29%). Chalcedony, silcrete and FGS were more frequently chosen over jasper, quartz and quartzite and petrified wood. This preference might stem from the fact that chert is readily available in the area, and the finer, chalcedony varieties were more valued and preserved. A petrified wood core with a great amount of cortex was identified in TS 17 from 30 to 40 centimetres depth. The same spit contained an additional four flake fragments (Plate 38) that could have come off the core, indicating that a knapping event most likely took place in the area.





Plate 38. Petrified wood core and flake fragments (ID 431-435), TS 17, spit 4.

Plate 39. Artefacts variety at TS 23, petrified wood, silcrete, jasper, chert and chalcedony.

An unidentified rock fragment was recovered from TS 10C in association with the charcoal feature. It did not display any diagnostic features nor traces of modification, such as pecking or flaking. However, considering the raw material is not known to source in the local area, it most likely has been brought to the area. It was referred to as manuport and is not considered further in the lithics analysis.

Test Square 23 revealed the highest number and the greatest variety of raw material present. Silcrete comprised almost 50% of all occurring raw material and was recorded throughout all soil layers. Layers deeper than 50 centimetres contained a greater number and range of artefacts, including five backed artefacts. Only two artefacts contained a small amount of cortex, indicating that knapping was not occurring at this section of the site.



÷
Т.
щ
◄
a
ъ
ñ
Š
z
-
÷≣
Ξ
3
Ē
ō
臣
ਙ
Ξ
s
÷ē
Ē
÷Ë
e
ā
Ε
≥
ē
<u> </u>
o,
H
ē
å
Ĕ

Raw Material	ę	Ϋ́	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	64-	-001	Total
	4mm	9mm	14mm	19mm	24mm	29mm	34mm	39mm	44mm	49mm	54mm	59mm	69mm	104mm	
Agate		8	7	5	2										19
Chalcedony	1	23	22	18	5	2	1								70
Chert	1	37	22	20	10	8		1							66
Coarse silcrete		3	2	1	2	1	2	1							12
FGS		21	23	18	7	2	2		1	1		1			76
Igneous		1	1	1	1	1	1				1				7
Jasper	2	52	26	24	2	4	4	1							115
MGS	5	24	12	6	9	2			1					1	60
Petrified Wood		7	12	9	2	4	1	3							35
Quartz	4	51	39	24	1				1						120
Quartzite		1	4	5	1			1							12
Sandstone													1		1
Silcrete	8	83	46	28	14	15	1	5	2						202
Total	21	311	213	159	51	39	12	12	5	1	τ	1	1	1	828

Table 11. Reduction types at DLS Boral AFT 1.

Raw Material	Flake	Proximal Fragment	Distal Fragment	Split Fragment	Medial Fragment	Angular Fragment	Core	Hammerstone	Ground stone
Quartz	31	2	1	£		81	1	1	
Quartzite	1	2	3	1		4	1		
Chalcedony	22	9	9	3	1	27	4		
Chert	98	9	9	8	2	31	11		
FGS	11	3	5	2	2	48	5		
MGS	11	1			1	47			
Petrified Wood	10	2	3	1		18	1		
Igneous	1		1	1	1	3			
Jasper	31	5	5	4		68	2		
Agate	3			2		14			
Sandstone									1
Silcrete	62	8	17	7	7	98	3		
Coarse silcrete	3	1	2			6			
Total	222	36	49	32	14	445	28	τ	1



Cortex was relatively infrequent at DLS Boral AFT 1. It was recorded on 48 artefacts, representing 13.6% of the entire assemblage (Table 12). Artefacts made of sandstone and MGS did not display any cortex. Quartz was the raw material that contained the highest frequency of cortex (n=32, 28.3%). Surfaces of 1-30% cortex were recorded on 78 artefacts (69%), with only seven artefacts having >70% of cortex. The results indicate that most likely dispersed knapping events occurred throughout the site at different locations and at most likely different times.

	0%	1-30%	31-69%	>70%	Tota
Agate	16	2		1	19
Chalcedony	62	4	3	1	70
Chert	84	11	4		99
Coarse silcrete	8	3	1		12
FGS	69	5	2		76
Igneous	5	2			7
Jasper	103	9	3		115
MGS	60				60
Petrified Wood	28	5	2		35
Quartz	88	25	5	2	120
Quartzite	9	2		1	12
Sandstone	1				1
Silcrete	182	10	8	2	202
Total	715	78	28	7	828

Table 12. Presence of cortex in relation to raw material and artefact types, at DLS Boral AFT 1.

	0%	1-30%	31-69%	>70%	Total
Core	15	7	6		28
Flake	198	22	2		222
Proximal Fragment	31	3	2		36
Distal Fragment	45	3	1		49
Split Fragment	27	3	2		32
Angular Fragment	384	40	15	7	446
Medial Fragment	14				14
Pebble	1				1
Total	715	78	28	7	828

Coarse silcrete was of particular interest as it was identified in three excavation units, mainly from spit 6. Four flaked fragments had cortex, and were on average 25mm, displaying slightly greater size than the most of the artefacts within the assemblage (Plate 40). Test square 16 contained 8 artefacts, and although a core was not recovered at this location, the presence of flaked fragments with cortex indicates the possibility that a knapping floor could be encountered in this portion of the site. The same pattern was observed in TS 17 with two flaked fragments containing cortex found at the same depth. These could indicate two discrete knapping floor events, possibly around a similar time periods.





Plate 40. Coarse silcrete flake fragments with cortex (ID 384, 385) TS 16, (ID 460, 461) TS 17, spit 6.

Plate 41. Backed artefacts at TS 17 – spit 6: chalcedony, chert and jasper (ID 464, 472, 478).

A total of 38 tools and modified artefacts were recovered at DLS Boral AFT 1 (Table 15), occurring across the entire tested area. TS 23 had the highest number of modified artefacts, consisting of silcrete, chert and petrified wood backed flake fragments, ranging from 30 to 80 centimetres depth. Five backed blades were recovered in total, three from TS 17 (Plate 41). Geometric microliths were made of finer siliceous raw material, petrified wood and chalcedony varieties of jasper and agate (Plate 42).

Table 13.	Tools and	modified	artefacts
-----------	-----------	----------	-----------

Tool Type	Backed blade	Retouched	Geometric microlith	Usewear	Ground stone fragment	Hammerstone
Chalcedony	2			2		
Chert	2	5				
Petrified Wood	1	3	2			
Agate			1			
Jasper		2	1	3		
FGS		1	2			
Quartz		1				1
Silcrete		6		2		
Sandstone					1	
Total number	5	18	6	7	1	1

One weathered sandstone fragment (Plate 41) was found in spit 7 of TS 10C that exhibited smooth, ground surfaces with some pecking. Its use could not be determined due to the lack of diagnostic features, but its flat bottom indicates its possible use as an anvil.





Plate 42. Jasper backed artefact, petrified wood backedPlate 43. Sandstone ground stone (ID 331), TS 10C, spit 7.blade and agate geometric microlith (ID 356, 333 and 61)

Some artefacts revealed signs of being affected by heat. These artefacts were confined to the upper 50 centimetres and are most likely associated with bushfire events and burning that extended to tree roots. Therefore, heat damage is most likely post-depositional impact, and not the result of a deliberate act, as no clear evidence of hearths was encountered. The local latite which outcrops in the area is not fine grained or durable enough for stone tool use and all artefact raw materials uncovered by the test excavation program had to be brought in to the area. Agates can occur as nodules formed in gaseous cavities of volcanic rocks and are known to be found in gravels along the coast to the north of Dunmore, in the vicinity of Shellharbour and Bass Point. Examples of artefacts recovered during the test excavation program with smooth cobble cortex suggest these were sourced in stream gravels, from coastal gravels, or possibly from breccia deposits associated with igneous intrusions.

Most of the artefacts were of good quality isotropic stone, with zero cortex, and small in size (<19 millimetres) suggesting that artefact raw materials were being conserved. The only raw material that was possibly sourced or brought to the site to be modified is coarse silcrete. Results of test excavation indicate that primary reduction processes were occurring at the site. The presence of a high number of backed artefacts suggests that some particular activities were also taking place across the site. No worn margins and a silica-gloss patina consistent with natural wearing of the surfaces through water action were noted. Artefacts revealed stable and relatively intact soil conditions indicating their primary context.

6.4 Discussion

The test excavation of the study area identified three Aboriginal archaeological sites:

- DLS Boral AFT 1
- DLS Boral AFT 2
- DLS Boral AFT 3

Test squares averaged 80 centimetres to 1 meter in depth, with two excavation units excavated to 1.2 metres. Two tested areas lie within different landform elements but are part of the same coastal barrier land system with similar geomorphological deposition processes. Generally, both areas contain a stable, sandy soil matrix that is the result of successive periods of storm deposition or dune accretion over long geological time scales. As such, the soils become inactive and represent relict features that are prone to conserving archaeological subsurface material in its primary context. Soils across the study area contained deep sandy deposits that extended beyond the limit of excavation however all identified deposits show a trend of minimal archaeology below 1 metre.

Artefact distribution was characterised by high artefact density deposits encountered throughout the tested area. Some patchy low density areas were localised towards the margins of the sand bodies. The highest artefact density was recorded within the central, most elevated parts of the sand beach ridge and backbarrier flat. DLS Boral AFT 1 did not reveal evidence of significant previous ground disturbances that could have impacted on subsurface archaeological deposits. The only previous disturbance was evident within very shallow surface soils due to repeated natural fire events and land clearing. These land use practices and natural events would cause some horizontal and shallow vertical movement of archaeological deposit, but would not remove it in its entirety. In addition, these disturbances are patchy and were not identified in all test excavation units. The majority of the site is within very stable intact sandy deposits. DLS Boral AFT 2 had some areas that revealed imported fill deposits up to 35 centimetres depth. These were limited to the southern and western sections of the sand body. Natural sandy deposits are still present under fill material containing high to low density Aboriginal cultural material.

Flaked artefacts were made of a diverse range of stone raw materials. This included agate, chalcedony, chert, quartz, quartzite, jasper, silcrete, petrified wood, unidentified fine and mid grained siliceous, tuff and igneous rock. Sources of these raw materials are known in the immediate vicinity of the test excavation areas, within Shellharbour and Bass Point, located approximately 5 kilometres from the study area. The predominantly small size of artefacts and evidence of artefact recycling indicate that the materials were brought to the area from elsewhere (perhaps from sources along the nearby Minnamurra River). Some knapping was also occurring at dispersed locations and most likely different times throughout the site. The presence of backed artefacts indicates particular and selective activities.

The results of the test excavation program demonstrate that DLS Boral AFT 1 and DLS Boral AFT 2 have moderate-high archaeological research potential due to the high number and diversity of raw material and tool types, relatively intact nature of the subsurface deposit at these locations and their proximity to estuarine environments. DLS Boral AFT 3 has low archaeological research potential due to the low density of artefacts recovered and the disturbed nature of the site.

6.5 Conclusion

Aboriginal sites identified within the Stage 5A and 5B areas reflect both the preference for occupation and the survivability of archaeological deposit in these intact landforms. Estuary environments were extensively used by Aboriginal people in the past, and elevated, well drained and sandy locales would have served as preferable camping locations. The elevated location was selected for its topographic nature and its position adjacent to a variety of resources associated with the Minnamurra River estuary. Beach ridge and back barrier flat were most likely focal points in the landscape where Aboriginal people performed a variety of tasks associated with the everyday and specialised activities. Considering the nature of these landforms, they were also subject to repeated and frequent occupation, resulting in accumulation of cultural material from different times and stemming from diverse activities.



7 Identified Aboriginal Sites

Aboriginal cultural heritage assessment, including review of previous archaeological investigations, Aboriginal community consultation and test excavation has identified three Aboriginal archaeological sites within the study area (Figure 9). These sites comprise three artefact scatters and are listed in Table 14.

Site Name	AHIMS #	Site Feature
DLS Boral AFT 1	52-5-0907	Artefact
DLS Boral AFT 2	52-5-0908	Artefact
DLS Boral AFT 3	52-5-0909	Artefact

DLS Boral AFT 1

Site DLS Boral AFT 1 was located within the beach ridge landform within the proposed Stage 5B area, to the immediate south of the natural pond and the small drainage line. Test excavations determined that the site extends throughout the entire landform and contains relatively intact high density archaeological deposits. A total of 828 artefacts were excavated from 28 50x50cm excavation units.

Artefact density within the test excavation area, extrapolated to square metres, displayed a mean of 118.3/m². Artefact distribution was characterised by high density deposits with a localised low density towards the margins of the sand body. The majority of the artefacts were recovered between 40 and 70 centimetres depth. They were preserved within the subsoil orange brown sandy horizon that represents relatively stable soils, most likely intact and not related to geomorphic processes. The quality and aesthetic nature of the raw material indicated a selective activity area. Results of test excavation indicate that the area contains evidence of dispersed and varied occupation activities that occurred during a prolonged period of time and on repeated occasions.

DLS Boral AFT 2

Site DLS Boral AFT 2 was located within the back barrier sand body within Stage 5A study are, adjacent to the tidal flat in association with the estuary of the Minnamurra River. Test excavation determined that the site retained an intact, high density archaeological deposit located across the entire remnant sand body. A total of 461 artefacts were recovered from 12 50x50cm test units.

Artefact density within the test excavation area was similar to within DLS Boral AFT 1 and extrapolated to square metres, the test area displayed a mean artefact density of $115.3/m^2$. Artefact distribution was characterised by a moderate to high artefact density across all excavated test units. Localised low density was recorded along the margins of the landform that indicates the site boundary. The highest artefact density was recorded within the central elevated section of the sand body. Some surface fill material was identified within the first 35 centimetres that did not impact on integrity of deeper sandy archaeological deposits. The assemblage contained a small quantity of cores and formalised tools indicating that the creation of stone tools occurred at the site but was secondary to the maintenance and use of stone tools. The quality and aesthetic nature of the raw material indicated a selective activity area.

DLS Boral AFT 3

Site DLS Boral AFT 3 was located within the artificially raised area to the immediate west of Riverside Drive. It is located between the tidal flat and back barrier flat landforms. Test excavations determined that the raised area is made of fill material. This fill was most likely brought into the area during the construction of the road and the modification of a small drain that runs parallel to Riverside Drive. A total of three artefacts were recovered from three test pits.

They consisted of two quartz angular fragments, and one quartz retouched flake. It is possible that they were brought in with the fill material or they represent dispersed/disturbed isolated cultural material from the local area. No further cultural material was identified and the entire raised area was considered to have very low archaeological potential for intact deposits.





Figure 9. Identified Aboriginal archaeological sites in the study area



8 Cultural heritage values and statement of significance

8.1 Significance assessment criteria

One of the primary steps in the process of cultural heritage management is the assessment of significance. Not all sites are equally significant and not all are worthy of equal consideration and management (Sullivan and Bowdler 1984, Pearson and Sullivan 1995:7). The determination of significance can be a difficult process as the social and scientific context within which these decisions are made is subject to change (Sullivan and Bowdler 1984). This does not lessen the value of the heritage approach, but enriches both the process and the long-term outcomes for future generations, as the nature of what is conserved and why, also changes over time.

Significance assessments can generally be described under three broad headings (Pearson and Sullivan 1995:7):

- value to groups such as Aboriginal communities;
- value to scientists and other information gatherers; and
- value to the general public in the context of regional, state and national heritage.

The assessment of significance is a key step in the process of impact assessment for a proposed activity as the significance or value of an object, site or place will be reflected in resultant recommendations for conservation, management or mitigation.

The Code of Practice for Archaeological Investigation of Aboriginal Objects in New South Wales (OEH 2010b) requires significance assessment according to criteria established in the Australia ICOMOS Burra Charter (Australia ICOMOS 2013). The Burra Charter and its accompanying guidelines are considered best practice standard for cultural heritage management, specifically conservation, in Australia. Guidelines to the Burra Charter set out four criteria for the assessment of cultural significance:

- Aesthetic value relates to the sense of the beauty of a place, object, site or item;
- Historic value relates to the association of a place, object, site or item with historical events, people, activities or periods;
- Scientific value scientific (or research) value relates to the importance of the data available for a place, object, site or item, based on its rarity, quality or representativeness, as well as on the degree to which the place (object, site or item) may contribute further substantial information; and
- Social value relates to the qualities for which a place, object, site or item has become a focus of spiritual, political, national or other cultural sentiment to a group of people. In accordance with the OEH *Guide to investigating, assessing and reporting on Aboriginal cultural heritage in NSW*, the social or cultural value of a place (object, site or item) may be related to spiritual, traditional, historical or contemporary associations. "Social or cultural value can only be identified though consultation with Aboriginal people" (OEH 2011:8).

Significance assessment for identified archaeological sites focusses on the social/cultural, historic, scientific and aesthetic significance of Aboriginal heritage values as identified in *The Burra Charter* (Australia ICOMOS 2013). The identification of significance is developed in consultation with the registered Aboriginal stakeholders. Assessed values for the site within the study area are detailed below.

Cultural / social significance

This area of assessment concerns the value(s) of a place, feature or site to a particular community group, in this case the local Aboriginal community. Aspects of social significance are relevant to sites, objects and landscapes that are important or have become important to the local Aboriginal community. This importance involves both traditional links with specific areas as well as an overall concern by Aboriginal people for sites generally and their continued protection. Aboriginal cultural significance may include social, spiritual, historic and archaeological values and is determined by the Aboriginal community.

It has been identified during the consultation process that the local area has cultural heritage value (social value) to the local Aboriginal community. Specific cultural or social values for the sites within the project area provided by the registered Aboriginal stakeholders will be included in the final version of this document following the review of the draft CHAR.

Historic significance

Community consultation and historical research has not identified any information regarding specific historical significance of identified Aboriginal archaeological sites in or near the study area. Any specific historical significance for the sites within the project area provided by the registered Aboriginal stakeholders will be included in the final version of this document following the review of the draft CHAR. Archaeologically, the study area does not contain these values in relation to Aboriginal heritage.



Scientific / archaeological significance

For archaeologists, scientific significance refers to the potential of a site to contribute to current research questions. Alternately, a site may be an in situ repository of demonstrably important information, for example rare artefacts of unusually high antiquity.

Scientific significance is assessed using criteria to evaluate the contents of a site, state of preservation, integrity of deposits, representativeness of the site type, rarity/uniqueness and potential to answer research questions on past human behaviour. OEH's recommended criteria for assessing archaeological significance include:

- Archaeological Research Potential significance may be based on the potential of a site or landscape to explain past human behaviour and can incorporate the intactness, stratigraphic integrity or state of preservation of a site, the association of the site to other sites in the region (connectivity), or a datable chronology.
- Representativeness all sites are representative of those in their class (site type/subtype) however the issue here relates to whether particular sites should be conserved to ensure a representative sample of the archaeological record is retained. Representativeness is based on an understanding of the regional archaeological context in terms of site variability in and around the study area, the resources already conserved and the relationship of sites across the landscape.
- Rarity which defines how distinctive a site may be, based on an understanding of what is unique in the
 archaeological record and consideration of key archaeological research questions (i.e. some sites are
 considered more important due to their ability to provide certain information). It may be assessed at local,
 regional, state and national levels.

High significance is usually attributed to sites which are so rare or unique that the loss of the site would affect our ability to understand an aspect of past Aboriginal use/occupation of an area. In some cases a site may be considered highly significant because it is now rare due to destruction of the archaeological record through development. Moderate (medium) significance is attributed to sites which provide information on an established research question. Sites with moderate significance are those that offer the potential to yield information that will contribute to the growing holistic understanding of the Aboriginal cultural landscape of the project area. Archaeological investigation of moderately significant sites will contribute knowledge regarding site type interrelationships, cultural use of landscape features and occupation patterns Low significance is attributed to sites which cannot contribute new information about past Aboriginal use/occupation of an area. This may be due to site disturbance or the nature of the site's contents.

Aesthetic Values

Aesthetic values are often closely related to the social values of a site or broader cultural landscape. Aspects may include scenic sights, smells and sounds, architectural fabric and creative aspects of a place. No specific aesthetic values for identified sites within the study area have been identified by registered Aboriginal stakeholders to date. Any aesthetic values provided by the registered Aboriginal stakeholders will be included in the final version of this document following the review of the draft CHAR. Archaeologically, the study area does not contain these values in relation to Aboriginal heritage.

8.2 Statements of significance

The study area has cultural value for the local Aboriginal community. The identified cultural value is a feeling of attachment and responsibility for the land. These values become tangible when tied to identified Aboriginal objects found at the archaeological sites. In this way, the Aboriginal objects can be seen as exhibiting both scientific information and cultural meaning, knowledge about the past tied with social values and belief systems.

The study area contained three identified Aboriginal archaeological sites as defined under the *National Parks and Wildlife Act 1974*. Significance assessment was based on consideration of the research value, representativeness, intactness and rarity of the sites in a local and regional context as outlined below.

DLS Boral AFT 1

Site DLS Boral AFT 1 was a high density artefact scatter located within the remnant beach ridge landform adjacent to the Minnamurra River estuary. The site had been subject to limited human disturbance and the results from the test excavation suggest that movement within the deposit was also limited. The site represents a commonly occurring site type in the coastal region; however recorded intact (coastal) sites are becoming less common as the majority of landforms in similar environmental settings are increasingly impacted by contemporary land use practices.



The range of raw material and artefact types found at the site and stratified context adjacent to an estuarine environment is less common. The site demonstrated moderate-high scientific value and it is likely that further investigation will contribute to the understanding of Aboriginal landscape use within coastal areas and assist in understanding the management of coastal sites and identification/conservation of future sites based on geomorphic features (beach ridge).

Based on the intactness, representativeness, and research potential of the site, DLS Boral AFT 1 was determined to have moderate-high archaeological significance.

DLS Boral AFT 2

Site DLS Boral AFT 2 was a high density artefact scatter located within the remnant back barrier flat landform adjacent to the Minnamurra River estuary. The site had been subject to some recent land modifications and the results from the test excavation suggest that limited areas experienced importing of some fill material. Generally, this did not impact on the majority of the artefact-bearing sandy deposits. The site represents a commonly occurring site type in the region; however the majority of landforms in similar environmental settings have been significantly impacted by recent land use practices. The range of raw material and artefact types found at the site and stratified context adjacent to the estuarine environment is less common. The site demonstrated moderate-high scientific value and it is likely that further investigation will contribute to the understanding of Aboriginal landscape use within coastal areas and assist in understanding the management of coastal sites and identification/conservation of future sites based on geomorphic features (back barrier sands).

Based on the intactness, representativeness, and research potential of the site, DLS Boral AFT 2 was determined to have moderate-high archaeological significance.

DLS Boral AFT 3

Site DLS Boral AFT 3 was a low density artefact scatter situated with a highly disturbed area. The site is located within fill material with an absence of natural soils. The site represents a commonly occurring site type in the region. The site demonstrated no scientific value due to the disturbed nature and low density of the archaeological deposit. Further investigation will not contribute to the understanding of Aboriginal landscape use in the region.

Based on the intactness, representativeness and research potential of the site, DLS Boral AFT 3 is determined to have low archaeological significance.



9 Proposed activity and impact assessment

DSS is seeking approval for a modification to their existing development consent (DA 195-8-2004) for Stages 2 to 4 of the Dunmore Lakes Sand Project at Dunmore. The proposed modification is for a new extraction stage (Stage 5) on adjoining land and would be a S75W modification to the existing consent. The proposed new extraction stage is required to enable the continuation of the current sand extraction operations. The entirety of the study area will be impacted by the proposed modification and associated activities.

The three identified Aboriginal sites would be impacted by the proposal. Assessed impacts to sites identified within the study area are detailed in Table 7.

Site Name	AHIMS ID	Type of harm	Degree of harm	Consequence of harm	Significance of harm
DLS Boral AFT 1	52-5-0907	Direct	Total	Total loss of value	High
DLS Boral AFT 2	52-5-0908	Direct	Total	Total loss of value	High
DLS Boral AFT 3	52-5-0909	Direct	Total	Total loss of value	Low

Table 15. Aboriginal heritage impacts

10 Avoiding and/or mitigating harm

The three Aboriginal archaeological sites identified within the study area have been considered by DSS in relation to the proposed extraction pit expansion. While conservation is the best approach when considering Aboriginal heritage, impact to the three sites is unfortunately unavoidable due to the nature of the expansion project. The most significant sites are situated within the areas of proposed impact.

The scientific value of archaeological sites is linked to the physical information the sites contain. Site DLS Boral AFT 3 has low archaeological significance and does not warrant further archaeological investigation; however, measures for mitigating harm to Aboriginal objects (salvage excavation) are recommended for sites DLS Boral AFT 1 and DLS Boral AFT 2.

The loss of intrinsic Aboriginal cultural value of impacted sites cannot be offset; however the salvaged information will increase our understanding, strengthen our interpretations and improve ongoing and future management of Aboriginal heritage in the surrounding area. The presence of archaeological deposits and activities related to Aboriginal occupation within coastal barrier landform contexts in association with estuaries is little known due to limited large excavation data, and the levels of previous disturbance in these environmental conditions within the Illawarra Coastal Plain. In this light, the project offers a unique opportunity to significantly advance the interpretation and management of Aboriginal heritage of the surrounding area by providing a foundation for future heritage assessments.



11 Management and recommendations

The following management and mitigation measures are required for identified Aboriginal heritage within the Stage 5A and 5B expansion area.

11.1 Mitigation through archaeological salvage excavation

The archaeological sites in Table 16 are of moderate-high Aboriginal heritage significance and will be impacted by the project. These sites require archaeological salvage excavation to mitigate the impacts. Salvage excavation can only occur after approval for the modification to existing development consent DA 195-8-2004 is obtained and in accordance with the terms of that approval.

Salvage excavation must be completed prior to any activities which may harm Aboriginal objects at these site locations. Salvage excavation activities would be undertaken in accordance with the methodology attached as Appendix E. Salvage excavation may be completed in stages to suit the extraction program.

Table 16. Aboriginal sites requiring mitigation (salvage excavation)

Archaeological sites requiring mitigation		
Archaeological Sites (requiring salvage)	DLS Boral AFT 1 DLS Boral AFT 2	

11.2 No archaeological mitigation required

No archaeological mitigation is required for the site in Table 17. The site may only be impacted after after approval for the modification to existing development consent DA 195-8-2004 is obtained and in accordance with the terms of that approval.

Table 17. Aboriginal sites with no further archaeological mitigation required

No further archaeological mitigation required		
Archaeological Sites (no archaeological mitigation)	DLS Boral AFT 3	

11.3 Procedures for Handling Human Remains

Note that Project or Modification Approvals do not include the destruction of Aboriginal remains

This section outlines the procedure for handling human remains in accordance with the Skeletal Remains – Guidelines for the Management of Human Skeletal Remains under the *Heritage Act 1977* (NSW Heritage Office 1998) and the Aboriginal Cultural Heritage Standards and Guidelines Kit (NPWS 1997). In the event that construction activity reveals possible human skeletal material (remains), the following procedure is to be followed:

- 1. as soon as remains are exposed, all work is to halt at that location immediately and the Project environmental manager on site is to be immediately notified to allow assessment and management;
 - i. stop all activities; and
 - ii. secure the site.
- 2. contact police, the discovery of human remains triggers a process which assumes that they are associated with a crime. The NSW Police retain carriage of the process until such time as the remains are confirmed to be Aboriginal or historic;
- 3. DP&E, as the approval authority, will be notified when human remains are found;
- 4. once the police process is complete and if remains are not associated with a contemporary crime contact DP&E. DP&E will determine the process, in consultation with OEH and/or the Heritage Office as appropriate;
 - i. if the remains are identified as Aboriginal, the site is to be secured and DP&E and all Aboriginal stakeholders are to be notified in writing. DP&E will act in consultation with OEH as appropriate. OEH will be notified in writing according to DP&E instructions; or
 - ii. if the remains are identified as non-Aboriginal (historical) remains, the site is to be secured and the DP&E is to be contacted. DP&E will act in consultation with the Heritage Division as appropriate. The Heritage Division will be notified in writing according to DP&E instructions;
- 5. once the police process is complete and if the remains are identified as not being human work can recommence once the appropriate clearances have been given.

11.4 Salvaged Aboriginal objects

The short term management of collected Aboriginal objects is as follows:

- Any Aboriginal objects that are removed from the land by actions authorised by the project approval, must be moved as soon as practicable to the temporary storage location (see below) pending any agreement reached about the long term management of the Aboriginal objects.
- The temporary storage location would be: Kelleher Nightingale Consulting Pty Ltd, Level 10, 25 Bligh Street, Sydney NSW 2000.
- Any Aboriginal objects stored at the temporary storage location must not be further harmed, except in accordance with the conditions of the approval.

The long term management of collected Aboriginal objects is as follows:

- Recovered objects will be lodged with the Australian Museum in the first instance in accordance with the
 Australian Museum Archaeological Collection Deposition Policy (January 2012, available online at:
 <u>http://australianmuseum.net.au/document/Protocols-for-the-deposition-of-archaeological-materials</u>). If
 required, a variation will be sought for recovered objects to be held by the Aboriginal community or reburied.
- Requirement 26 "Stone artefact deposition and storage" in the Code of Practice for Archaeological Investigation
 of Aboriginal Objects in NSW (24 September 2010, available online at:
 http://www.environment.nsw.gov.au/resources/cultureheritage/10783FinalArchCoP.pdf) must be complied
 with.



References

- AASC, 2003. Aboriginal Archaeological Survey of Lot 1 DP 571406, Dunmore Hard Rock Quarry, NSW. Prepared for Boral Resources (NSW) Pty Ltd.
- Attenbrow, V., 2002. Sydney's Aboriginal Past: Investigating the Archaeological and Historical Records. University of New South Wales Press: Sydney, NSW.
- Bailey, G.N., J.Hariff and D.Sakellariou. 2017. Under the Sea: Archaeology and Palaeolandscapes of the Continental Shelf. *Volume 20 of Coastal Research Library*. Springer.
- Bonhomme, T. 1985. An Archaeological Sites Survey at Shellharbour Waste Disposal Depot, NSW. Unpublished report to Shellharbour Municipal Council.
- Bowman, H.N., 1974. Geology of the Wollongong, Kiama and Robertson 1:50,000 Sheets. Department of Mines, Geological Survey of New South Wales
- Department of Environment and Conservation (DEC), 2005. A History of the Aboriginal People of the Illawarra, 1770 to 1970. Department of Environment and Conservation: Hurstville, NSW
- Donaldson, M., L. Bursill, & M. Jacobs, 2017. A History of Aboriginal Illawarra, Volume 2: Colonisation, Dharawal Publications: Yowie Bay, NSW.
- Hanckel, M. (Brayshaw and Associates Consultant Archaeologists), 1986. Archaeological Investigation at Dunmore Quarry, NSW Proposed Extraction Area. Prepared for BMI Limited.
- Hazelton, P.A. 1992. Soil Landscapes of the Kiama 1:100,000 Sheet. Department of Conservation and Land Management (incorporating Soil Conservation Service of NSW), Sydney.
- Kelleher Nightingale Consulting Pty Ltd (KNC), 2015. Dunmore Quarry Proposed Expansion: Preliminary Aboriginal and Historic Heritage Assessment. Prepared for Boral Limited.
- KNC, 2017. Dunmore Hard Rock Quarry Proposed Croome Farm West Pit Expansion Dunmore, NSW Aboriginal Cultural Heritage Assessment Report. Report prepared for Boral Resources (NSW) Pty Limited.
- Kelleher Nightingale Consulting Pty Ltd (KNC). 2018. Dunmore Rock Quarry Modification 9, Croome West Extension (DA 470-11-2003 MOD 9). Aboriginal Archaeological Salvage Excavation Report: Croome West AFT1 (AHIMS 52-500851) and Croome West AFT2 (AHIMS 52-5-0850). Prepared for Boral Resources (NSW) Pty Limited.
- Kuskie, P., Navin, K. and Officer, K. (EGP Archaeology), 1995. Aboriginal Archaeology and Anthropology Eastern Gas Pipeline Project Environmental Impact Statement/Environmental Effects Statement Preliminary Draft Background Paper - An Aboriginal Archaeological and Anthropological Assessment of the Proposed Eastern Gas Pipeline between Longford, Vic to Wilton, NSW.
- Navin, K., 1989. An archaeological investigation of propped development area at Dunmore, New South Wales. Report to Martin Morris & Jones Pty Ltd.
- Navin, K., 1987. What hasn't happened to Lake Illawarra? BA (Hons) Thesis, Australian National University Canberra
- Navin Officer Archaeological Resource Management, 1992. Archaeological Survey for Aboriginal Sites: Proposed Extension to Dunmore Quarry, NSW.
- Navin Officer Heritage Consultants. 2000. Archaeological Subsurface Testing Program of a Remnant Beach Ridge, Dunmore, NSW. Unpublished report to Dunmore Sand and Soil Pty Ltd and the NSW RTA.
- Navin Officer Heritage Consultants. 2004. Shellharbour Urban Fringe Lands. Cultural Heritage Assessment. A Report to Shellharbour City Council.
- Mayne, S.J., Nicholas, E., Bigg-Wither, A.L., Rasidi, J.S. & Raine, M.J., 1974. *Geology of the Sydney Basin A Review*. Bulletin 149. Bureau of Mineral Resources, Geology and Geophysics, Canberra
- Office of Environment and Heritage (OEH). April 2011. *Guide to investigating, assessing and reporting on Aboriginal cultural heritage in NSW*. Office of Environment and Heritage, Department of Premier and Cabinet, Sydney.



- OEH, 2010a. Due Diligence Code of Practice for the Protection of Aboriginal Objects in New South Wales. Department of Environment, Climate Change and Water, Sydney.
- OEH, 2010b. Code of Practice for Archaeological Investigation of Aboriginal Objects in New South Wales: Part 6 National Parks and Wildlife Act 1974. Department of Environment, Climate Change and Water NSW, Sydney
- OEH, 2010c. Aboriginal Cultural Heritage Consultation Requirements for Proponents 2010: Part 6 National Parks and Wildlife Act 1974. Department of Environment, Climate Change and Water NSW, Sydney.
- Pearson, M. and Sullivan, S. 1995. Looking After Heritage Places: The Basics of Heritage Planning for Managers, Landowners and Administrators. Melbourne University Press.
- R.W. Corkery &Company Pty Limited, 2008. Statement of Environmental Effects for the proposed Dunmore Hard Rock Quarry Extension. Prepared for Boral Resources (NSW) Pty Ltd.
- R.W. Corkery &Company Pty Limited, 2003. Environmental Impact Statement for the proposed Dunmore Quarry Production Increase. Prepared on behalf of Boral Resources (NSW) Pty Limited.
- Robert Paton Archaeological Studies Pty Ltd, 2003. Aboriginal Heritage Assessment Dunmore Quarry. Prepared on behalf of Boral Limited Specialist Consultant Studies Compendium Part 5.
- Sullivan, S. and Bowdler, S. 1984. Site Survey and Significance Assessment in Australian Archaeology. Canberra: RSPacS, Australian National University.
- Troedson A.L. and Hashimoto T.R. 2013. *Shellharbour-Kiama 1:50,000 and 1:25,000, Coastal Quaternary Geology Map Series.* Geological Survey of New South Wales, Maitland.
- Troedson A.L. and Hashimoto T.R. 2008. Coastal Quaternary geology north and south coast of NSW. Geological Survey of New South Wales, Bulletin 34.
- Young, R.W., 1980a. The Illawarra Escarpment, Wollongong Studies in Geography No.2. Department of Geography, University of Wollongong.
- Young, R.W., 1980b. Soils of the Illawarra Region, Wollongong Studies in Geography No.2. Department of Geography, University of Wollongong.

Appendix A Advertisement for registration of interest

General Notices

Notice for Registration of Interest

Dunmore Sand & Soil Pty Ltd is investigating a modification to the development consent (DA 195-8-2004) of the Dunmore Lakes Sand Project, located at Tabbita Road, Dunmore on the NSW South Coast. The proposed modification is for an additional extraction stage (Stage 5) on adjoining land. The project is located in the Shellharbour Local Government Area. The proponent is Dunmore Sand & Soil Pty Ltd (Rod Wallace, Planning and Development Manager -38 Tabbita Road, Dunmore NSW 2529).

The proposal has been deemed to be a modification to an existing Part 3A project and is subject to assessment and approval under Section 75W of the Environmental Planning and Assessment Act 1979. Dunmore Sand & Soil Pty Ltd proposes to carry out consultation with Aboriginal people in accordance with the Office of Environment and Heritage Aboriginal cultural heritage consultation requirements for proponents 2010. The purpose of this consultation process is to inform the preparation of environmental assessment documentation and to assist the Department of Planning and Environment in its consideration of any future project applications related to the proposal.

Dunmore Sand & Soil Pty Ltd invites Aboriginal groups and/or Aboriginal people who hold cultural knowledge relevant to determining the significance of Aboriginal objects and/or places at Dunmore NSW to register interest in a process of community consultation with the contact shown below (on behalf of Dunmore Sand & Soil Pty Ltd):

Dunmore Sand & Soil Pty Ltd c/o Kelleher Nightingale Consulting

Level 10, 25 Bligh Street

Sydney NSW 2000

phone 9232 5373

fax 9223 0680

The closing date for registration is 25 July 2018.

Appeared in: Illawarra Mercury (Wednesday 11 July 2018)



Appendix B Aboriginal community consultation log

RECORD OF ABORIGINAL COMMUNITY CONSULTATION AND CONSULTATION LOG *Aboriginal cultural heritage consultation requirements for proponents 2010 (OEH)* **Dunmore Lakes Sand Project – Stage 5 Modifications, Dunmore NSW**

Step	Task Requirement	Action	Outcome
4.1.1	Identify if native title exists	Conducted National Native	NNTV search showed no native title
	in relation to the project area.	TitleVision (NNTV) search on 27/05/2018.	holders and registered Indigenous Land Use Agreements in the project area (27/05/2018).
		Wrote to National Native Title Tribunal (NNTT) for a list of registered native title claimants, native title holders and registered Indigenous Land Use Agreements (letter dated 08/06/2018).	11/06/2018 NNTT: Provided overlap reports for Shellharbour and Kiama LGAs. The study area overlaps one (undetermined) claim by the South Coast People (NC2017/003) Advised no determined native title holders or registered Indigenous Land Use Agreements within these LGAs. South
			Coast People claimants were invited to register as part of step 4.1.3.
4.1.2	Ascertain, from reasonable sources of information, the names of Aboriginal people who may hold cultural knowledge relevant to determining the significance of Aboriginal objects and/or	Wrote to various government agencies to obtain names and contact details of parties that may have an interest or hold cultural knowledge for the project area (letters dated 06/06/2018):	Responses received from: 11/06/2018 NNTT: Provided overlap reports for Shellharbour and Kiama LGAs. Advised no determined native title holders or registered Indigenous Land Use Agreements within these
	places.	Shellharbour City Council (SCC);	LGAs.
	Compile a list of Aboriginal people who may have an interest for the proposed project area and hold knowledge relevant to determining the cultural significance of Aboriginal objects and/or places	Illawarra ROG, Office of Environment and Heritage (OEH); Illawarra Local Aboriginal Land Council (DLALC); The Registrar, <i>Aboriginal Land</i> <i>Rights Act 1983</i> for a list of	28/06/2018 OEH: Provided a list of Aboriginal stakeholders known to OEH that may have an interest in the project. Notes that consultation must be carried out before making an application for an AHIP and that consultation does not equal employment. Advises consultants
	objects and/or places	Aboriginal owners (ORALRA); The National Native Title Tribunal (NNTT) for a list of registered	must still advertise for interested parties. 16/07/2018 ORALRA: Advised that a
		native title claimants, native title holders and registered Indigenous Land Use Agreements;	search of the Register of Aboriginal Owners returned no results for the project area. Suggested contacting ILALC for further assistance.
		Native Title Services Corporation (NTSCORP Limited); and	
		Wollongong East Local Land Services (LLS), formerly the Catchment Management Authority (CMA).	
		(Letters dated 08/06/2018).	
4.1.3	Written notification and advertisement:	Notification letters (dated 11/07/2018) and invitation to register interest sent to people	Responses for registration of interest from written notification and advertisement were received from:
	Write to the Aboriginal people whose names were obtained in step 4.1.2 and the relevant LALC(s) to notify	and groups identified in step 4.1.2, including: Badu	Barraby Cultural Services (email 13/07/2018)
L			1

Step	Task Rec	Juirement	Action	Outcome
4.1.3		the proposed	Barraby Cultural Services	Biamanga (email dated 17/07/2018)
contd.	project.		Biamanga	
			Bellambi Indigenous Corporation	Cullendulla (email dated 17/07/2018)
	Place a n	otice in the local	Gandangara Traditional Owners	
		er circulating in the	Bilinga CHTS	Duncan Falk Consultancy (20/07/2018)
	-	ocation of the	Bilinga	
		d project, explaining	Coomaditchie United Aboriginal	Darug Land Observations (email/letter
		ect and its exact	Corporation Cullendulla	dated 12/07/2018)
	location.		Darryl Caines	Guunamaa Dreamin Sites and
	Notificat	ion by letter and	Dharug	Surveying (email dated 12/07/2018)
		er must include:	Darug Land Observations	
		the name and	Duncan Falk Consultancy	Goobah (email dated 17/07/2018)
	(-7	contact details of	Garrara Aboriginal Corporation	
		the proponent	Gadhu Dreaming	Gulaga (email dated 17/07/2018(
	(b)	a brief overview of	Gary Caines	
		the proposed	Guunamaa Dreamin Sites and	Illawarra LALC (email dated
		project that may	Surveying	12/07/2018)
		be the subject of	Goobah	
		an application for	Gundungurra Tribal Technical	James Davis (email dated 27/07/2018)
		an AHIP, including the location of the	Services Gunyuu CHTS	Leanne Tungai (omail dated
		proposed project	Gunyuu CHTS Gunyuu	Leanne Tungai (email dated 12/07/2018)
	(c)	a statement that	Illawarra Aboriginal Corporation	12/0//2010)
	(0)	the purpose of	Illawarra LALC	Murra Bidgee Mullangari (email dated
		community	James Davis	13/07/2018)
		consultation with	Jerringong	-,-,-,
		Aboriginal people	Karrial	Merrigarn (email dated 13/07/2018)
		is to assist the	Korewal Elouera Jerrungurah Tribal	
		proposed applicant	Elders Council	Muragadi HIC (email 13/07/2018)
		in the preparation	Ken Foster	
		of an application	Kullila Site Consultants and Koori	Murramarang (email dated
		for an AHIP and to assist the Director-	Site Management	17/07/2018)
		General of OEH in	Leanne Tungai La Perouse Botany Bay	Tungai Tonghi (email dated
		his or her	Corporation	13/07/2018)
		consideration and	Murra Bidgee Mullangari	13,07,2010,
		determination of	Aboriginal Corporation	Wodi Wodi Coomaditchie Aboriginal
		the application	Minnamunnung	Corporation (phone call 26/07/2018)
	(d)	an invitation for	Munyunga CHTS	
		Aboriginal people	Munyunga	Woronora Plateau Gundangara Elders
		who hold cultural	Murramarang	Council (email dated 13/07/2018)
		knowledge	Murrumbul CHTS	
		relevant to determining the	Murrumbul NIAC	Yurrandaali Cultural Services (email dated 14/07/2018)
		significance of	NAC Norma Simms	
		Aboriginal object(s)	Nundagurri	
		and/or place(s) in	Pemulwuy	
		the area of the	Raymond Garbutt	
		proposed project	South Coast People (Native Title	
		to register an	Claimant)	
		interest in a	South West Rocks Corporation	
		process of	Three Ducks Dreaming Surveying	
		community	and Consulting	
		consultation with the proposed	Thoorga Nura Tungai Tonghi	
		applicant regarding	Wadi Wadi Coomaditchie	
		the proposed	Aboriginal Corporation	
		activity	Walbunja	
	(e)	a closing date for	Warra Bingi Nunda Gurri	
	(-/	the registration of	Wingikara	
		interests.	Woronora Plateau Gundangara	
			Elders Council	
			Wullung	
			Wodi Wodi Elders Corporation	

Step	Task Requirement	Action	Outcome
4.1.3 contd.		Yurrandaali Cultural Services Yerramurra	
		Advertisement inviting people to register interest in consultation published in the <i>Illawarra Mercury</i> on 11/07/2018. Advertisement attached as Appendix A. Closing date for registration of interest was 25/07/2018.	
4.1.4	A minimum of 14 days from the date the letter was sent or notice published in the newspaper to register an interest.	Closing date for registration of interest included in the notification letters and notice in the newspaper was at least 14 days from the date the letters were sent and notice appeared in the newspaper.	Copy of newspaper advertisement attached.
		Closing date for registration of interest was 25/07/2018.	
4.1.5	Must advise Aboriginal people who are registering an interest that their details will be forwarded to OEH and the LALC unless they specify that they do not want their details released.	Groups informed by letters (dated 11/07/2018) or verbally over the phone if they registered by phone.	No Aboriginal stakeholder groups specified that they did not want their details to be released.
4.1.6	Make a record of the names of each Aboriginal person who registered an interest. Provide a copy of that record and copy of the notification from step 4.1.3 to the relevant OEH EPRG regional office and LALC	List of registered stakeholders compiled. No registered Aboriginal stakeholder groups specified that they did not want their details to be released.	Letters sent to OEH and Illawarra LALC with list of registered Aboriginal stakeholders (letters dated 31/07/2018). No registered Aboriginal stakeholder groups specified that they did not want their details to be released.
4.1.7	LALCs holding cultural knowledge relevant to determining the significance of Aboriginal objects and places in the proposed project area who wish to register an interest to be involved in consultation must register their interest as an Aboriginal organisation rather than individuals.	Illawarra LALC registered interest to be involved in consultation.	Illawarra LALC registered interest as an organisation. Provided contact details for the LALC and the name of a LALC representative to act as contact person (Paul Knight).



Step	Task Requirement	Action	Outcome
4.1.8	Where an Aboriginal	Responses received from	Aboriginal stakeholders have
	organisation representing Aboriginal people who hold cultural knowledge has	organisations and individuals registering interest in the project.	registered as an organisation name or as individuals.
	registered an interest, a contact person for that organisation must be nominated.	Contact details and names of representatives were also provided.	Contact details and names of representatives for the organisations were also provided and confirmed during the registration of interest
	Aboriginal cultural knowledge holders who have registered an interest may indicate they have appointed a representative to act on their behalf. Where this occurs, the registered Aboriginal party must provide written confirmation and contact details of those individuals to act on their		process.
	behalf.		
4.2	Presentation of information about the proposed project	Information regarding the proposed project provided throughout the consultation process including letters sent on 11/07/2018 and 20/08/2018.	No responses to the provision of project information.
		Informal discussions also held during the registration of interest period.	
4.3.1- 4.3.2	Notification of proposed assessment methodology	Copy of the proposed assessment methodology sent to all registered stakeholders with an invitation to provide comment (letters dated 20/08/2018). A 28 day review period was provided.	Responses to the proposed assessment methodology were received from Barraby Cultural Services (BCS), Duncan Falk Consultancy (DFC), Murra Bidgee Mullangari Aboriginal Corporation (MBMAC), Muragadi Heritage Indigenous Corporation (Muragadi), Tungai Tonghi, Woronora Plateau Gundangara Elders Council (WPGEC), and Yurrandaali Cultural Services (Yurrandaali).
			BCS stated that they supported the proposed assessment methodology for the project (email dated 22/08/2018).
			DFC stated they had read and reviewed the methodology and endorsed the proposed approach (email/letter dated 28/08/2018).
			MBMAC expressed support for the recommendations in the assessment methodology (email dated 21/08/2018).
			Muragadi stated they had reviewed the project information and proposed methodology and endorsed the proposed approach (email dated 21/08/2018).



Step	Task Requirement	Action	Outcome
4.3.1- 4.3.2			Tungai Tonghi affirmed their interest in the project (email dated 23/08/2018).
			WPGEC advised they had received the methodology (email dated 20/08/2018) and asked for further detail regarding the test excavation program (specific number of test pits and size of the test areas). Dr Matthew Kelleher (KNC) responded via phone call on 27/08/2018 to confirm the location of test areas and identified sensitive landforms, and discuss the amount of test squares estimated to be required to sample these. WPGEC agreed with the proposed approach.
4.3.3	Gathering information about	Aboriginal stakeholders invited to	supported the proposed methodology (22/08/2018). Throughout the assessment process,
	cultural significance	provide information about cultural significance the area (letters dated 11/07/2018, 20/08/2018 and 25/01/2019). Previous comments recognised and additional comments sought.	cultural knowledge regarding the Aboriginal cultural/social values of the study area and identified archaeological sites was sought from registered stakeholders.
			Identified Aboriginal cultural values of the study area are discussed in section 2.6 of the CHAR.
4.4	Review of draft cultural heritage assessment report	Stakeholders were provided with a copy of the draft CHAR and invited to review and provide comments/feedback (review package sent 25/01/2019). A 30 day review period was provided, ending on 25/02/2019 – review period extended in consideration of Christmas holiday period	Responses to the draft CHAR were received from Barraby Cultural Services (BCS), Duncan Falk Consulting (DFC), Guunamaa Dreamin Sites and Surveying (GDSS), Leanne Tungai, Murra Bidgee Mullangari Aboriginal Corporation (MBMAC), Muragadi Heritage Indigenous Corporation (Muragadi), Merrigarn Indigenous Corporation (Merrigarn), Yurrandaali Cultural Services (Yurrandaali) and Woronora Plateau Gundangara Elders Council (WPGEC).
			BCS acknowledged receipt of the draft CHAR but did not provide any further comment (email dated 28/01/2019). DFC stated they had reviewed the draft CHAR and agreed with the proposed salvage. DFC also noted they supported the proposed two-stage salvage approach, in order to identify the best locations for open area salvage (email dated 26/01/2019).
			GDSS acknowledged receipt of the draft CHAR and expressed their interest in being involved in the proposed salvage excavation fieldwork at the sites (email dated 25/01/2019).



Step	Task Requirement	Action	Outcome
4.4 contd.			Leanne Tungai acknowledged receipt of the draft CHAR and stated that she would like to be involved in future work on this project (email dated 26/01/2019). No further comment was provided during the review period.
			MBMAC stated they had read the draft CHAR and agreed with the recommendations (email dated 25/01/2019).
			Muragadi stated they agreed with the recommendations made by KNC (email dated 25/01/2019).
			Merrigarn also stated they had reviewed the draft CHAR and agreed with the recommendations (email dated 25/01/2019).
			Yurrandaali acknowledged receipt of the draft CHAR but did not provide any further comment (email dated 28/01/2019).
			WPGEC reconfirmed the identified archaeological value of the project area; however expressed opposition to the proposed development on several grounds (email/letter dated 25/02/2019). A response is provided in Section 2.5 of the CHAR.

Appendix C Aboriginal stakeholder comments on draft CHAR



.

Sent:	lee field <barrabyculturalservices@gmail.com></barrabyculturalservices@gmail.com>
To:	Monday, 28 January 2019 11:37 AM Cristany Milicich
Subject:	Re: 1745 Dunmore Lakes Sand draft CHAR review - BCS
Categories:	Purple Category
Received, Thankyou.	
Regards	
Lee Field	
On Fri, Jan 25, 2019 at 4:	31 PM Cristany Milicich < <u>cristany.milicich@kneonsult.com.au</u> > wrote:
Dear registered Aboriginal	stakeholder,
We have completed the	draft CHAR report for the proposed Stage 5 modification at the Dummore Lakes
Sand quarry.	
Thank you for your com and a copy of the draft re	ments and involvement in the project to date. Please find attached a cover letter eport for your review.
We are recommending s	alvage excavation for two sites within the area.
If you have any commen cover letter.	its please send these through to myself or Zac using the details in the attached
The review period closes	s on Monday 25 February 2019.
Thanks and regards,	
Thanks and regards, Cristany Milicich	
Cristany Milicich	ty Ltd
Cristany Milicich Projed Archieologist	ty Lid

From:	Duncan Falk <duncanfalk@hotmail.com></duncanfalk@hotmail.com>
Sent:	Saturday, 26 January 2019 3:31 PM
To:	Cristany Milicich
Subject:	Re: 1745 Dunmore Lakes Sand draft CHAR review - DFC
Categories:	Purple Category

Hey Cristany,

Happy New Year to you too and I had a great time off thanks for asking.

I have read through the draft and can see from the test excavation results that a salvage is needed and that proceeding to complete it in two stages would be the best method to identify the area and then continue to the large area salvage. I didn't find any discrepancies within the document provided.

With thanks,

Duncan

From: Cristany Milicich <<u>cristany.milicich@knconsult.com.au</u>> Sent: Friday, 25 January 2019 4:35 PM To: Duncan Falk Subject: 1745 Dunmore Lakes Sand draft CHAR review - DFC

Hi Duncan,

Happy New Year and I hope you had a good break.

We have completed the draft CHAR report for the proposed Stage 5 modification at the Dunmore Lakes Sand quarry.

Thank you for your comments and involvement in the project to date. Please find attached a cover letter and a copy of the draft report for your review.

We are recommending salvage excavation for two sites within the area.

If you have any comments please send these through to myself or Zac using the details in the attached cover letter. The review period closes on Monday 25 February 2019.

Thanks and regards,

Cristany Millicich Project Archaeologist Kellaher Nightingale Consulting Pty Ltd Level 10, 25 Bligh St Sydney NSW 2000 p 02 9232 5373



Cristany Milicich		
From:	Richard Campbell <richardcampbell123@outlook.com></richardcampbell123@outlook.com>	
Sent:	Friday, 25 January 2019 5:47 PM	
To:	Cristany Milicich	
Subject:	Re: 1745 Dunmore Lakes Sand draft CHAR review - GDSS	
Categories:	Purple Category	

Hi thnks for email but can my group be involved with the salvage this time as i missed out on the work bfor.

Kind regards

Richard

On 25 Jan. 2019 4:37 pm, Cristany Milicich <cristany.milicich@knconsult.com.au> wrote:

Hi Richard,

Happy New Year and I hope you had a good break.

We have completed the draft CHAR report for the proposed Stage 5 modification at the Dunmore Lakes Sand quarry.

Thank you for your comments and involvement in the project to date. Please find attached a cover letter and a copy of the draft report for your review.

We are recommending salvage excavation for two sites within the area.

If you have any comments please send these through to myself or Zac using the details in the attached cover letter.

The review period closes on Monday 25 February 2019.

Thanks and regards,

Cristany Milleich

Truest Archamilie m



From:	Leanne Tungai <leannecaroltungai@gmail.com></leannecaroltungai@gmail.com>
Sent:	Saturday, 26 January 2019 1:02 AM
To:	Cristany Milicich
Subject:	Re: 1745 Dunmore Lakes Sand draft CHAR review - Leanne Tungai
Categories:	Purple Category
Thanks, I'll take a loo And would like to be	k. involved in future work on this project please
On Fri, 25 Jan 2019 a	t 4:43 pm, Cristany Milicich < <u>cristany.milicich@knconsult.com.au</u> > wrote;
Hi Leanne,	
Happy New Year and	d I hope you had a good break.
We have completed t Sand quarry.	the draft CHAR report for the proposed Stage 5 modification at the Dunmore Lakes
	comments and involvement in the project to date. Please find attached a cover letter ft report for your review.
We are recommendin	ng salvage excavation for two sites within the area.
If you have any com cover letter.	ments please send these through to myself or Zac using the details in the attached
The review period cl	oses on Monday 25 February 2019.
Thanks and regards,	
Cristany Milicich	
Project Archaeologist	
Kelleher Nightingale Consult	ing Ply Ltd
Level 10, 25 Bligh St	
	à



Cristany Milicich

From:	Ryan Johnson <murrabidgeemullangari@yahoo.com.au></murrabidgeemullangari@yahoo.com.au>
Sent:	Friday, 25 January 2019 7:25 PM
To:	Cristany Milicich
Subject:	RE: 1745 Dunmore Lakes Sand draft CHAR review - MBMAC
Augustation	

Categories:

Purple Category

Hi Cristany,

I have read the project information and draft CHAR for the above project, I endorse the recommendations made by Kelleher Nightingale. If you require further details please contact me via mobile 0475565517. Thanks

Ryan Johnson | Murra Bidgee Mullangari



Aboriginal Corporation Cultural Heritage

A: PO Box 246, Seven Hills, NSW, 2147 E: <u>murrabidgeemullangari@yahoo.com.au</u> ICN: 8112

Note: Privileged/Confidential information may be contained in this message and may be subject to legal privilege. Access to this e-mail by anyone other than the intended is unauthorised. If you are not the intended recipient (or responsible for delivery of the message to such person), you may not use, copy, distribute or deliver to anyone this message (or any part of its contents) or take any action in reliance on it. In such case, you should destroy this message, and notify us immediately. If you have received this email in error, please notify us immediately by e-mail or telephone and delete the e-mail from any computer. If you or your employer does not consent to internet e-mail messages of this kind, please notify us immediately. All reasonable precautions have been taken to ensure no viruses are present in this e-mail. As our company cannot accept responsibility for any loss or damage arising from the use of this e-mail or attachments we recommend that you subject these to your virus checking procedures prior to use. The views, opinions, conclusions and other informations expressed in this electronic mail are not given or endorsed by the company unless otherwise indicated by an authorized representative independent of this message.

From: Cristany Milicich [mailto:cristany.milicich@knconsult.com.au] Sent: Friday, 25 January 2019 4:43 PM To: Ryan Johnson <<u>murrabidgeemullangari@yahoo.com.au</u>> Subject: 1745 Dunmore Lakes Sand draft CHAR review - MBMAC

Hi Ryan,

Happy New Year and I hope you had a good break.





We have completed the draft CHAR report for the proposed Stage 5 modification at the Dunmore Lakes Sand quarry.

Thank you for your comments and involvement in the project to date. Please find attached a cover letter and a copy of the draft report for your review.

We are recommending salvage excavation for two sites within the area.

If you have any comments please send these through to myself or Zac using the details in the attached cover letter. The review period closes on Monday 25 February 2019.

2

Thanks and regards,

Cristany Milicich Project Archaeologist Kelleher Nightingale Consulting Pty Ltd Level 10, 25 Billip St Sydney NSW 2000 p 02 9232 5373

Message protected by MailGuard: e-mail anti-virus, anti-spam and content filtering, http://www.mailguard.com.au/mg

Report this message as spam

Cristany I	Mil	icid	ch
------------	-----	------	----

From:	Shaun Carroll <merrigarn@hotmail.com></merrigarn@hotmail.com>
Sent:	Friday, 25 January 2019 7:54 PM
To:	Cristany Milicich
Subject:	RE: 1745 Dunmore Lakes Sand draft CHAR review - MIC

Categories:

Purple Category

Hi Cristany, I have read the Draft CHAR review, I endorse the recommendations made by Kelleher Nightingale for the above project. Kind regards Shaun Carroll From: Cristany Milicich [mailto:cristany.milicich@knconsult.com.au] Seate Friday, 25 January, 2010, 4:45 DM

Sent: Friday, 25 January 2019 4:45 PM To: merrigarn@hotmail.com Subject: 1745 Dunmore Lakes Sand draft CHAR review - MIC

Hi Shaun,

Happy New Year and I hope you had a good break.

We have completed the draft CHAR report for the proposed Stage 5 modification at the Dunmore Lakes Sand quarry.

Thank you for your comments and involvement in the project to date. Please find attached a cover letter and a copy of the draft report for your review.

We are recommending salvage excavation for two sites within the area.

If you have any comments please send these through to myself or Zac using the details in the attached cover letter. The review period closes on Monday 25 February 2019.

Thanks and regards,

Cristany Millicich Project Archaeolog SI Kelleher Nightingale Consulting Pty Ltd Level 10, 25 Bligh SI Sydney NSV 2000 q 02.9232 5373

Message protected by MailGuard: e-mail anti-virus, anti-spam and content filtering. http://www.mailguard.com.au/mg

Report this message as spam



Cristany N	Mil	icich	
------------	-----	-------	--

	Muragadi <muragadi@yahoo.com.au></muragadi@yahoo.com.au>
Sent:	Friday, 25 January 2019 7:59 PM
To:	Cristany Milicich
Subject:	RE: 1745 Dunmore Lakes Sand draft CHAR review - MHIC
Categories:	Purple Category
HI Cristany, I have read the project	information, draft CHAR report for 1745 Dunmore Lakes Sand and agree with the
recommendations mad Kind regards Anthony	e by Kelleher Nightingale Consulting.
Kind regards Anthony From: Cristany Milicich	[mailto:cristany.milicich@knconsult.com.au]
Kind regards Anthony From: Cristany Milicich Sent: Friday, 25 Januar	[mailto:cristany.milicich@knconsult.com.au]

Hi Jesse,

Happy New Year and I hope you had a good break.

We have completed the draft CHAR report for the proposed Stage 5 modification at the Dunmore Lakes Sand quarry.

Thank you for your comments and involvement in the project to date. Please find attached a cover letter and a copy of the draft report for your review.

We are recommending salvage excavation for two sites within the area.

If you have any comments please send these through to myself or Zac using the details in the attached cover letter. The review period closes on Monday 25 February 2019.

Thanks and regards,

Cristany Milicich Project Archaeologist Kelleher Nightingale Consulting Pty Ltd Level 10, 25 Bligh St Sydney NSW 2000 p 02 9232 5373

Message protected by MailGuard: e-mail anti-virus, anti-spam and content filtering. http://www.mailguard.com.au/mg

Report this message as spam



DUNMORE LAKES SAND PROJECT – STAGE 5 MODIFICATIONS – DUNMORE - NSW

Woronora Plateau Gundangara Elders Council (WPGEC) do not support the proposed modifications of extraction of DLS Boral AFT 1 & DLS Boral AFT 2. The proposed modifications & extraction will see the mine's life extended for a further three to four years, causing irreparable and complete destruction of a rare and valuable natural and cultural landscape. Dunmore Lakes is one of very few undisturbed estuarine environments remaining in the Illawarra region and wider surrounds, holds an intact and rich archaeological site, and encompasses land of cultural and modern historical importance. The identified high significance of harm to the impacted area must be considered to be of more worth than the profits to be made from the proposed destructive activities by Boral (insert the full name of company or whoever is responsible here). Mitigation, in this case of direct and total loss of value of this site, would be an inadequate solution and it is preferred that the afore mentioned modifications and further mining activities cease completely.

WPGEC along with other key stakeholder groups and the local Aboriginal community are of the strong belief that this site is significant for several reasons:

- 1. Its value as a rare undisturbed estuary environment in the Illawarra region.
- 2. The intactness of its archaeological deposits and its cultural importance as a site of continuous occupation with evidence of a lengthy and maintained connection to this land. This has been established through previous archaeological investigations, the most recent and relevant to this specific study area being the test excavations of 5A and 5B completed by Kelleher Nightingale Consulting and registered stakeholder groups between the 19th and 23rd November 2018. A total of 461 artefacts found at site DLS Boral AFT 1 and 828 artefacts found at site DLS Boral AFT 2. These artefacts included coarse silcrete flaked fragments with cortex, crystalline quartz backed artefacts, retouched jasper and silcrete, a petrified wood backed blade, an agate geometric microlith, a charcoal feature, and a hammerstone which was recorded in situ at around 65cm depth and a sandstone ground stone. The number and distribution of artefacts clearly show that occupation and activities at this site occurred during a prolonged period of time, and on a repeated basis. Furthermore, analysis and interpretation of the material recovered from these test excavations may suffice for the purposes of understanding and managing sites in similar estuarine environments, thus not requiring the data from the proposed salvage and allowing this site to remain otherwise intact
- 3. Its proximity to the site of a massacre which occurred just to the south of the study area.

"In October 1818 Lieutenant Weston, land owner at Dapto and Cornelius O'Brien, formerly a stockman at Sandon Point and now the overseer of a property at Yallah, organised a group of seven labourers and convicts. Unusually armed with muskets, cutlasses and pikes, they headed to Kiama supposedly to fetch two muskets lent to a group of people living on the Minnamurra River. According to Young Bundle, who was long trusted by the British, the posse killed all the people at the camp. The attackers admitted only to wounding a boy in selfdefence. After a sharp letter of protest from Charles Throsby to Governor Macquarie, the murders were investigated by D'Arcy Wentworth, the Principal Superintendent of Police, along with other magistrates. They took no action against the killers despite a letter from Governor Macquarie to D'Arcy Wentworth expressing his "surprise, regret and displeasure" at their findings". (Donaldson et al 2017:13).

This atrocity has now been formally acknowledged by Kiama Council, an action which should prompt appropriate respect for the site and its surrounds.



4. Its high potential of containing burials due to the traditional practices in the Illawarra region of digging graves in the soft soil along waterways, including the Minnamurra River, or into sand banks. Additionally, the proximity to the massacre noted in (3) may provide further weight to the possibility of burials. Observations by early European settlers of similar mass deaths in the region detail how the dead would be buried nearby and close to water. Lynch (1820), for example, recounts how around seventy men, killed in the battle of Fairy Meadow, were buried in the scrub between the battle ground and the sea, between the two arms of Fairy Creek. There is therefore reason to suspect, due to the natural landscape of the Dunmore Lakes area, its recent history, and comparable information, that there may be burials from both the distant and more recent past.

The Aboriginal people of Australia possess one of the oldest continuous living cultures in the world. The protection of cultural and spiritual landscapes and materials, including sacred sites and artefacts, both past and present, is vital to maintaining this culture. We believe any type of mining of the land is unacceptable, especially for the financial gain of a highly profitable company that has already destroyed other parts of the land and impacted the local communities and environment to date. The Australian Government has legislation in place such as the Heritage Act, 1977 and the Environmental Planning and Assessment Act 1979, which acts to protect heritage listed items as they represent Australian and European culture and history, and this is seen being enforced around Australia on a daily basis. Aboriginal culture and protection of significant sites such as Dunmore Lakes.

WE OPPOSE ANY APPROVAL FOR THE MINING OF SAND FOR THIS PROJECT.

Kind Regards Kayla Williamson Woronora Plateau Gundangara Elders Council

REFERENCES

Donaldson, M., L. Bursill, & M. Jacobs, 2017. A History of Aboriginal Illawarra, Volume 2: Colonisation, Dharawal Publications: Yowie Bay, NSW.

https://www.environment.nsw.gov.au/resources/cultureheritage/illawarraAboriginalHistory.pdf

Kelleher Nightingale Consulting Pty Ltd (KNC) 2019. Dunmore Lakes Sand Project – Stage 5 Modifications, DUNMORE: CHAR.



NAME	GROUP/COMMUNITY	SIGNATURE
L-Brown	Coomaditchie Abonginal	Lorraine Bracon
N THOMAS	COOMADITCHIE ABORIGAN	& Norello Sland
J brown	DCubalant+ishunghitte	Jbrown
A Day	Coome Ditchie Dhoghitte	And
N. Archibald	Coomie ditchie	W Archybald
R. Dutton	Goobah	R. Dutton
KIM DAVIS.	Wooi - Wooi.	RDco.
BROOKE DAVIS	WODI-WODI	Bonis.
Julie Lular	d Noogaleek.	ALLI
Bronwy	Noogalee K-Tuin	A
Tanya Mora	7	2
Teresa Dark	Nocopleek	J. Laker .
Manola Schemb	Nogaleek	SIL
how Price	Noogaleek	Opin-
nackettlaurce	MR NOOGALEEK	M.S. Jameta
Roslynne Web	Juin	- COD

We have supporting signatures below of stakeholder groups and community members that also have the same view as listed above.

NAME	GROUP/COMMUNITY	SIGNATURE
MARK PIETRUSZGOLSA)	ELOURA, ELGER.	n. Prita
		-
		-



GROUP/COMMUNITY SIGNATURE NAME eann Nagalni Panne Sh Steveltene 6 OVIC MEN bo en N 5 T1 mes lod . Wod NOOI Wodi Tebbyt Mgh wodi wodi Megan Dalmaz No Loura Tribal Eldo Comming aul 11 TONSHI TROV TIN SAI Tun 1501 ROU KRISM IHOMAS COOMADITCH 16 THOOGA NURA Scoli ampel AU COMMUNITY MEMBER KHIGHT Smith L irad enai 0 IAC 600 Iren tilo (IAC Inel KANGLROO. DC E Hennor William Henry CED IAC lass IAC RCAALD CHAIR PERSON 5

2.2.2.2.1.1.	Bo Field <yurrandaali_cs@hotmail.com></yurrandaali_cs@hotmail.com>
Sent:	Monday, 28 January 2019 11:40 AM
To:	Cristany Milicich
Subject:	Re: 1745 Dunmore Lakes Sand draft CHAR review - YCS
Categories:	Purple Category
Recieved,	
Thankyou	
Bo Field	
Sent from <u>Outlook</u>	
	cristany.milicich@knconsult.com.au>
Sent: Friday, 25 January To: Yurrandaali cs@hoti	
	Lakes Sand draft CHAR review - YCS
Dear registered Aborigin	al stakeholder,
We have completed the	draft CHAR report for the proposed Stage 5 modification at the Dunmore Lakes Sand
quarry.	and charteport of the proposed stage simodification at the parimore takes sand
	ments and involvement in the project to date. Please find attached a cover letter and a cop our review.
We are recommending s	alvage excavation for two sites within the area.
	ts please send these through to myself or Zac using the details in the attached cover letter. if you would like a hard copy. The review period closes on Monday 25 February 2019.
Thanks and regards,	
Cristany Milicich	
Project Archaeologist Kelleher Nightingale Consulting P	rty Ltd
Level 10, 25 Bligh St Sydney NSW 2000	
p 02 9232 5373	
Message protected by 1	MailGuard: e-mail anti-virus, anti-spam and content filtering.
	com.au/mg
http://www.mailguard.	
http://www.mailguard. Report this message as	spam



Appendix D Extensive AHIMS search results

		בעורווזואר זרמו רוו - זוור ווזו והלחוו						A DESCRIPTION OF A DESC		COLODE : AI ALLA TAC ITATO
SiteID 52-5-0159	Sterkinne Tabbagong Tabbagong 1,	AGD	Zone Ea 56 301	Easting 301865 61	Northing 6165336	Context Open site	Ste Status Valid	Shell:-, Artefact:-	SteTynes Midden	Reports
	Contact	Recorders	Klim Gollan	an				Permits		
52-5-0160	Minnamura;	AGD	56 301143	3	6164865	Open site	Valid	Shell : -, Artefact :-	Midden	1473,99329
	Contact	Recorders	ASRSYS					Permits		
52-5-0162	Minnamurra River;Gainsborough Estate;	AGD	56 302350		6164600	Open site	Valid	Shell : -, Artefact :-	Midden	99329
	Contact	Recorders	Rod Wellington	ngton				Permits		
52-5-0167	Minnamurra;Minnamurra Spit 2;	AGD	56 303260		6166700	Open site	Valid	Shell : Artefact :-	Midden	
	Contact	Recorders	Rod Wellington	ngton				Permits		
52-5-0168	Minamura:Minamura Spit 1:	AGD	56 303490		6166280	Open site	Valid	Shell : Artefact :-	Midden	
	Contact	Recorders	ASRSYS					Permits		
52-5-0169	Minamura, Bass Point SRA;	AGD	56 302750		6167400	Open site	Valid	Shell : Artefact :-	Midden	102212
	Contact	Recorders	Miss.Marj	Miss.Marjorie Sullivan	n			Permits		
52-5-0251	Dumore 1	AGD	56 301540		6166460	Open site	Valid	Artefact : -	Open Camp Site	687,1662,2048
	Contact	Recorders	Kerry Nav	Kerry Navin,Mr.Kelvin Officer	n Officer			Permits		
52-5-0252	Dunnore 2:	AGD	56 301	56 301360 6166600	66600	Open site	Valid	Artefact :-	Open Camp Site	1662
	Contact	Recorders	Kerry Mar	Kerry Navin, Mr.Kelvin Officer	n Officer			Permits		
52-5-0253	Dumore 3	AGD	56 301	301830 61	6166930	Open site	Valid	Artefact:-	Open Camp Site	687,1662,2048
	Contact	Recorders	Kerry Nav	Kerry Navin,Mr.Kelvin Officer	n Officer			Permits		
52-5-0254	Dummore 4:	AGD	56 301480		6167260	Open site	Valid	Artefact :-	Open Camp Site	1662
	Contact	Recorders	Kerry Nav	Kerry Navin, Mr. Kelvin Officer	n Officer			Permits	1519	
52-5-0255	Durmore 5;	AGD	56 301400		6167110	Open site	Valid	Artefact : -	Open Camp Site	1662
1	Contact	Recorders	Kerry Nav	Kerry Navin, Mr. Kelvin Officer	n Officer			Permits	1519	
52-5-0112	Minnamura;	AGD	56 302052		6165157	Open site	Valid	Shell : Artefact :	Midden	2048
	Contact	Recorders	Kate Sullivan	van				Permits		
52-5-0116	Dummore; Killalea:	AGD	56 303	303652 61	6167475	Open site	Valid	Shell:-, Artefact:-	Midden	
	Contact	Recorders	Kate Sullivan	Van				Permits		
52-5-0117	Minnamura;	AGD	56 301856		6165793	Open site	Valid	Artefact:-	Open Camp Site	
	Contact	Recorders	Kate Sullivan	van				Permits		
52-5-0118	Dumore;	AGD	56 304	304265 61	6168860	Open site	Valid	Artefact : -	Open Camp Site	102212
	Contact	Recorders	A Henderson	son				Permits		
52-5-0199	Killalea Beach:S.R.A.; Albion Park;	AGD	56 304150		6168000	Open site	Valid	Shell: -, Artefact: -	Midden	102212
	Contact	Recorders	AAnderson	nc				Permits		
52-5-0201	Dummore Midden Shellharbour Waste Disposal Dump	AGD	56 302000		6167800	Open site	Valid	Artefact : -	Open Camp Site	901

Report generated by AHINS Web Service on 04/12/2018 for Kristen Taylor for the followingarea at Datum :6DA, Zone : 56, Eastings: 300600 : 304650, Northings : 6164300 · 6169300 with a Buffer of 200 meters. Additional Info : to help with determining archaeological potential. Number of Aboriginal sites and Aboriginal objects found is 29 This information is not guarabled to be free from error omission. Office of Buytomant and Heriage (NSW) and its employees dischain lability for any act done omission unde ou the information arcsever and acts or omission.

Page 1 of 2

NSN	& Heritage	Extensive search - Site list report	port						Client S.	Client Service ID : 386985
SiteID	SteName	ä	Datum	Zone Easting	r Northing	Context	Ste Status	Stefeatures	SteTypes	Reports
52-5-0213	-	AC	AGD	56 302000	6167800	Open site	Valid	Artefact : -, Shell :-	Midden, Open Camp Site	901
	Contact	2	Recorders	Bonhomme Cr	Bonhomme Craib & Associates			Permits		
52-5-0072	Minnamurra Glengowrie		AGD	56 301450	6165490	Open site	Valid	Shell : Artefact :-	Midden	687,1662,2048
	Contact	R	Recorders	R.L. Black				Permits		
52-5-0240	Min.1:	AC	AGD	56 300650	6164660	Open site	Valid	Shell: -, Artefact:-	Midden	1473,99329
	Contact	R	Recorders	Margrit Koettig	he			Permits		
52-5-0241	Minnamurra Site 1;	AC	AGD	56 302800	6165900	Open site	Valid	Shell : -, Artefact : -	Midden	1525
	Contact	R	Recorders	I Lilley				Permits	4350	
52-5-0242	Minammura Site 2;	AC	AGD	56 302900	6165500	Open site	Valid	Shell : Artefact :-	Midden	1525
	Contact	W	Recorders	I Lilley				Permits		
52-5-0243	Green Three"Minnamurra Golf Course";		AGD	56 302900	6165820	Open site	Valid	Shell : -, Artefact : -	Midden	
	Contact	R	Recorders	Doctor.Johan Kamminga	amminga			Permits		
52-5-0200	Minnamarra/S.R.A., Albion Park:		AGD	56 302840	6166930	Open site	Valid	Shell : -, Artefact :-	Midden	
	Contact	R	Recorders	A Anderson				Permits		
52-5-0819	Riverside Drive 1	B	GDA	56 302395	6166973	Open site	Valid	Artefact: 1, Shell: 1		
	Contact	R	Recorders	Mr.Neville Bak	Mr.Neville Baker,Baker Archae ology	ology		Permits		
52-5-0825	Restriction applied. Please contact ahims@environment.nswgov.au.	e ase contact nsw gov.au.				Open site	Valid			
	Contact	R	Recorders	Rod Wellington	1			Permits		
52-5-0526	Minnamurra River Shell Midden 1 (MR1		AGD	56 302054	6166338	Open site	Valid	Shell:-, Artefact:-		
	Contact	W.	Recorders	Mary Dallas Co	Mary Dallas Consulting Archaeologists	ologists		<u>Permits</u>	2920	
52-5-0869	James Oates Reserve midden		GDA	56 303744	6165971	Open site	Valid	Shell :-		
	Contact	R	Recorders	Rod Wellington	Rod Wellington.NPWS - Narooma	ma		Permits		
52-5-0451	MR-IF-1, Kiama	AC	AGD	56 301530	6165440	Open site	Valid	Artefact : 1		
	Contact T Russell		Recorders	lim Kelton				Permits		

Report generated by AHINS Web Service on 04/12/2018 for Kristen Taylor for the followingarea at Datum :6DA, Zone: 56, Eastings: 300600 - 304650, Northings: 6164300 - 6169300 with a Buffer of 200 meters. Additional Info : to help with determiningarchaeological potential. Number of Aboriginal sites and Aboriginal objects found is 29 This information is not guarantsed to befree from error omission. Office of Environment and Herrige (NSW) and its employees dischaim lability for any act done or omission made on the information and ousequences of and acts or mussion.

Page 2 of 2

Appendix E Salvage Excavation Methodology

Methodology

Research Aims

The main aims of the proposed salvage excavation program are:

- To salvage a representative sample of the identified archaeological sites prior to development impact.
- To analyse the salvaged archaeological material to gain and conserve knowledge and understanding of the scientific and cultural information exhibited by the activities associated with coastal landforms.

The further scientific aim of the salvage excavation program would be to determine the subsurface integrity, extent, spatial distribution and nature of the cultural deposit and the specific types of associated archaeological/cultural activities.

- Determining the integrity of the deposit involves assessing the degree of disturbance which is present.
- Determining the statistical extent of the sites and/or activity areas involves identifying the boundaries associated with the identified archaeological deposit.
- Assessing the spatial distribution involves identifying the presence/absence of archaeological material across the identified archaeological sites.
- The nature of the sites refers to the type of activities indicated by the artefactual material (e.g. primary
 production, domestic knapping, hunting camps). The goal would be to retrieve entire assemblages from
 specific activities if such activities were present.
- Retrieved assemblages would be compared with the results from other relevant archaeological projects in order to assess significance.

Research Questions

Archaeologically, sites DLS Boral AFT 1 and 2 represent important resource enabled (from estuary environments) focal points. Such focal points are often associated with very selective activity, which is reinforced by the selective and high quality nature of the artefacts recovered during the test program. The results of the proposed salvage excavation would increase our understanding of subsurface archaeology within the study area. In particular, research would focus on the archaeologically-identifiable cultural activities that took place within the beach sand bodies adjacent to the Minnamurra River estuary. DLS Boral AFT 1 and DLS Boral AFT 2 represent site types uncommon due to their low levels of previous disturbance in the region and the close association with an estuary may have facilitated longer, repeated or more specialised use of this area.

What can we expect?

It is anticipated that differences in stone tool assemblages may be related to different cultural activities (e.g. primary reduction vs maintenance flaking). Results from the test excavation program indicate that the sites may display assemblages with different characteristics, possibly representing different activities or site use over a prolonged time or repeated occasions. The science of archaeology is paramount to any research question and it is important to stress that the goal for the salvage program for all excavated sites is straight forward: to retrieve a viable sample for comparative analysis using established techniques (see Field Methods below). In this regard interpretation would not precede data collection. The proposed archaeological program would systematically sample the relevant areas using standard techniques with the outcome being a viable, robust and comparable sample. Analysis of the sample would follow and interpretations would be made distinctly separate from the results.

Question 1: What cultural activities are archaeologically identifiable in association with exploitation of estuarine environments?

Question 2: How does past Aboriginal use of this area relate to activities in adjacent areas (alluvial plains, ridgelines and the more elevated sandstone escarpments further west)?

Question 3: Do the sites display any unique or distinguishing traits that may be the result of their location in a unique landscape?

Question 4: Do sites contain evidence for repeated or specialised activities across long periods of time, or a single event in time? Is this reflected within the artefact assemblage (i.e. preference for certain raw material or artefact types)?

Archaeological Salvage Areas

Salvage excavation would be undertaken on identified archaeological sites DLS Boral AFT 1 and DLS Boral AFT 2. Salvage excavation of these sites would focus on the extraction of collections of artefacts related to activity areas and geomorphic information.



FIELD METHODS

The goal of the field excavation program is to recover significant assemblages of artefacts and investigation of contributing geomorphic processes.

Salvage Program

In order to achieve the most robust and comparable result, KNC advocates an open area salvage excavation. The first phase in open area salvage is to establish the statistical boundaries of the previously identified archaeological deposit. This approach is designed to salvage the spatial properties of the site as shown in the lithic continuum; in other words, recording the spread of activities across the site and wider landscape.

Phase 1

Where Phase 1 test results identified information bearing deposit Phase 2 excavation will be completed. Information bearing deposits are identified by triggers such as: significant quantities of artefacts, variations in raw material, unusual artefacts, chronological material and/or taphonomic indicators. In this context chronologic material is anything that can be used to date artefacts or deposit: charcoal or charcoal bearing deposit (e.g. hearth ash), sandy deposit, gravels (e.g. aluminium feldspar). Where necessary additional Phase 1 squares can be excavated at 20m intervals on a transect grid overlain on each site to confirm the spread of lithics and related geomorphic activity. Phase 1 squares would be positioned to complement and augment the information from the previous test excavation program.

Phase 1 excavation would also determine the depth of intact archaeological material to ensure the retrieved sample is representative of cultural activity. Geoarchaeological assessment will us 50mm micro cores to assist the determination of the depth of archaeological material.

Phase 2

Open area salvage, Phase 2 will expand on Phase 1 squares to encompass entire activity areas. It is anticipated that around 75-100m² will be excavated during the Phase 2 salvage program.

Individual excavation squares measuring 1 m^2 would be hand excavated in stratigraphic units (Unit A, Unit B, etc.). Squares would be excavated until the basal layer or culturally sterile deposit is reached (on average to 80 centimetres, potentially up to 1.5m below the surface). Excavation will be undertaken by stratigraphic unit.

Sieving of the excavated deposit is required with a minimum sieve size of 2.5mm. The use of the 1mm sieve mesh will also be used to capture micro debitage (where required) for assessing depositional movement (possibly pumice debitage that could indicate natural reworking activity) and interpreting activity area. The use of 1mm sieve mesh has been shown to contribute significant information about site integrity and artefact reduction.

Sampling of the sandy matrix to at least 1.5m depth will be undertaken in areas revealing high density or significant cultural deposits. In addition, thin section profiles (where feasible) would also be collected from open areas. The soil profiles of all areas would be fully documented and appropriate records would be archived.

Carbon samples will be collected and analysed for material relating to both the archaeology and geomorphology. Where appropriate cosmogenic and radiometric dating of soils and rock surfaces will be applied (Nishiizumi et al. 1986, 1993).

The location of each excavated square would be identified on a surveyed plan of the site. Stratigraphic sections detailing the stratigraphy and features within the excavated deposit would be drawn and all squares would be photographed.

Analysis

Artefacts would be analysed on a comparable level with previous analyses of excavated assemblages. Information derived from this analysis; in particular the identification of specific artefact types and their distributions and associations; would be used to put together interpretations about how sites were used, where sites were located across the landscape, the age of sites and to assess cultural heritage values. By comparing different areas it would be possible to determine whether there were differences in the kinds of activities carried out and if different activities were related to different landforms.

The geoarchaeological assessment will focus on the integrity of the deposit and the ramifications of geomorphic change for: artefact survivability, interspatial assessments and scientific significance.

A range of stone artefacts may be present across the salvage areas and the analysis would expand accordingly to account for artefact variability. All information would be recorded in database form (MS Excel). Various types of evidence would be used to determine the kinds of activities that were carried out. A short description of the proposed analysis in outlined below.



- Field analysis would record basic data, such as material type, number and any significant technological characteristics, such as backing or bipolar techniques; added to this would be any provenance data such as pit ID and spit number. The purpose of the field recording is twofold: 1) establish a basic recording of artefacts retrieved and 2) to allow on-going assessment of the excavation regime (e.g. whether higher stratigraphic resolution is required while digging).
- Detailed (laboratory) analysis would entail recording a larger number of characteristics for each individual artefact. These details would be recorded in matrices suitable for comparative analysis (e.g. multivariate and univariate) of the excavated assemblage on a local and regional basis.
- Lithic characteristics to be recorded cover a range of basic information but are not limited to these categories (see example below). For transparency, terms and category types would in large part be derived from Holdaway and Stern (2004).

	Sample Categories				
Record Number	% Cortex	Flake Type			
Pit ID	Length	Termination Type			
Spit Number	Width	Core Type			
Count	Thickness	Number of Scars (Core)			
Raw Material	Weight	Scar Type (Core)			
Colour	Modification	Shape of Flake			
Quality	Reduction Type	Platform Type			

- A detailed explanation and glossary would be provided with the final excavation report.
- Minimum Number of Flake (MNF) calculations formulated by Hiscock (2002) would be undertaken where applicable (although past experience indicates MNF calculations would not be required for this excavation program).

The analysis of artefacts recovered during the excavation program would be undertaken in a transparent and replicable fashion so as to permit the comparison of the entire excavated assemblage with data from other areas. This would also allow for an interpretation of the study area's archaeological significance.

Field Team

KNC directors, Dr Matthew Kelleher and Alison Nightingale, would be responsible for the salvage excavation program. Dr Matthew Kelleher would direct the excavation component of the Aboriginal archaeological assessment. Matthew has extensive experience in managing archaeological excavations and research projects. Matthew would also be the principal contact for the overall Aboriginal archaeological assessment for the project. The salvage excavation will be undertaken in partnership with registered Aboriginal stakeholders.



